

THE BEST SUN RIB

AB INFLATABLES | RIB'S



AB Inflatables®, a division of AB Marine Group, is world renowned as the premier designer and manufacturer of inflatable boats for both the leisure and professional markets. AB Inflatables® has a long established reputation for innovative design, superior construction, and outstanding customer satisfaction.

Our boats have earned their status as the world's finest inflatables. AB is one of only a few RIB manufacturers to have CE, NMMA as well as ISO 9001 certification. At AB, we insist on an unwavering attention to detail. We travel the world to procure the finest materials available. We painstakingly hand-craft each boat, to ensure that even the smallest details are considered. The result is a full line of inflatable boats, designed and built to provide our customers with the exceptional quality they deserve, and have come to expect from AB.

We are committed to meeting the ever changing needs of our customers. It is this commitment that drives our desire for constant innovation. AB Inflatables® has never shied away from the hard work of refining our existing models, designing new inflatables, or retooling our workshop to ensure that AB boats are truly the most celebrated watercraft on the market. This un-equaled pursuit of perfection has long distinguished AB from the competition.

With five decades of proven expertise, AB Inflatables® has earned its reputation for excellence. Our unparalleled craftsmanship, relentless innovation, and commitment to customer service have made the entire AB line the most prestigious and sought after inflatables on the market. Contact one of our dealers today to discover for yourself why AB Inflatables® are the choice of discriminating boaters worldwide.

years of innovation and
craftsmanship





HANDCRAFTED
SINCE
1969
ISO 9001
QUALITY & PERFORMANCE



LEISURE



Why AB?

There are countless reasons for choosing an AB Inflatable as your tender, but there are just as many reasons for choosing an AB Inflatable as your primary boat.

Experience

Born in 1969, AB Inflatables have over 50 years of non-stop production. Today, we are proud to say that our products have touched almost every corner of the globe and have earned the trust of thousands of customers.

Design

Our superior rigid inflatable boats (RIBs), manufactured with the highest quality materials and attention to detail, are recognized and admired worldwide. Designed for recreational use, commercial operations and jet segments, they are available in over than 80 models.

Every AB model has a unique forward hull design that creates a raised bow and enhances performance by enabling easier planning with less horsepower. This allows the boat to cut through wakes and chop, virtually eliminating spray. The result is a smoother, more stable, and drier ride than any other inflatable boat on the market.

Quality

Audits

Our commitment to delivering the highest quality products to our customers extends to submitting all our manufacturing processes to rigorous evaluations by third-party auditors. This means building under the strict surveillance of our quality certifications-NMMA for the USA, CE for Europe and ISO 9001 quality standards.

Traceability

We offer the peace of mind that comes with creating each boat with a unique history report, documenting when it was made, and what materials were used in the process. These records have proven valuable to

us to improve our production procedures along the different stages. This quality-control system, which is just one way in which we fulfill our promise to continuous learning, has enabled us to make significant improvements to our boats throughout our more than 50 years in business.

Innovation and Craftsmanship

As part of our unshakable dedication to produce superior inflatable boats, we handcraft 100% of our boats in house, including hull, tubes, rigging and inboard engine installations. Our devotion to each boat ensures that even the smallest details are handled with care. The result is a full line of inflatable boats designed and built to please our customers with the exceptional quality they have come to expect from AB.

Sales & Service Network

Our vast network of representatives worldwide provides quick responses with a personal touch. We select companies known for their technical expertise, commitment to quality work and superior customer service. Customers will be backed up around the world with a high sense of collaboration through our network partners.

Portfolio

AB Inflatables offers the widest portfolio in the RIB (Rigid Inflatable Boat) industry worldwide. Our portfolio includes open aluminum and console RIBs, open Fiberglass and console RIBs (ranging from 7.5ft / 2.39m up to 28ft / 8.33m), as well as a fast-growing jet tender line. Each boat is manufactured from beginning to end in our factory, including tubes, hulls, and electrical installations.

Every AB distributor counts on more than 80 different models to offer, along with the option of having each boat completely customized. This allows prospects to play with tubes, upholstery and gelcoat colors, as well as with seating, consoles, and layouts on our aluminum and fiberglass segment.

Materials

We build each AB rigid inflatable boat with exceptional standards using only the finest materials. We travel the world to procure superior components, working with the most reliable and respected suppliers in the marine industry. The result is an inflatable boat of unmatched craftsmanship and quality equal to that found on the most prestigious yachts.

All of our console models feature steering and control systems provided by SeaStar Solutions®, the marine industry's leading manufacturer of such products.



Our RDS fuel tanks are NMMA certified ISO 9001 and ISO 10088. This company has over 50 years building quality aluminum products and their tanks are built in accordance with ABYC & NMMA regulations.



Non-skid decks on our rigid inflatable boats are manufactured by SeaDek. These decks are made from soft, durable, UV resistant EVA material specifically designed for the marine environment.



Quality components from Attwood, with the expertise that comes from more than 120 years in the marine industry, ensure reliability and safety in each of our inflatable boats.



Our boat's components come from ABYC member Pacer Group, which has more than 40 years of experience providing materials for the most prestigious yacht brands.



We are supplied by industry leader Blue Sea Systems who meet ABYC, NMMA and are ISO 9001 certified.



Our tubes feature ORCA engineered fabrics, manufactured by Pennel & Flipo. They deliver industry-leading weather, chemical and abrasion resistance, and are ISO 9001 BV Certified (ISO 6185, ISO 15372). **Even the smaller AB tenders are made with 820 Orca® CSM Fabric which results in extra protection and, with it, greater resistance and durability. No lower grade than 820 Orca® CSM Fabric is used on any AB Inflatable boat.**



Dedication to quality in our boats extends to stainless steel bow and stern eyes from EPCO, a trusted NMMA member company that is ISO 9001 registered.



LED navigation and anchor lights on our inflatable boats are manufactured by Perko, an ABYC charter member whose products are USCG and ISO 9001 certified.



Each of our aluminum inflatable boats feature Axalta coatings (previously known as DuPont Performance Coatings). An industry mainstay for more than 150 years and with customers in more than 130 countries. The company holds ISO 9001/ISO TS 16949 certifications.



Our dinghy chaps and covers are made with Sunbrella, the most advanced fabric on the market - breathable, water- and UV-resistant, and eco-friendly.



Safety

Product safety is of the utmost importance for any boat builder. That is why we partner with the marine industry's most trusted and respected suppliers, ensuring only high-quality components go into every AB boat. We further carry out our commitment to safety by continuously auditing our processes to ensure compliance with all certification requirements.

Tube Tests

Several tests are applied to each and every one of the baffles on our tubes in order to guarantee the highest quality seams. As a first test, baffles of the same tube are deflated between inflated baffles to check if the air is passing from one to the other. A second test applies liquids on the surface of the tube in order to identify leaks to the outside. As a third and final inspection, each baffle is pressure tested to guarantee the same performance 24 hours after the initial measure. This procedure provides our quality tube manufacturing process a high percentage of consistency. All our tubes are 100% built in house with Orca® CSM Fabric from Pennel & Flippo.

Electrical and Fuel Systems

AB's electrical and fuel systems are designed to the standards of the American Boat & Yacht Council (ABYC), the marine industry's premier global standards organization and a leader in technical education and technician certification.

NMMA Certified Fuel Tanks

All AB console models use fuel tanks that are pressure-tested in accordance with ABYC standards, NMMA regulations, and meet ISO 10088 specifications.

Environment

Chrome-Free Advanced Technology Pretreatment

All of our aluminum inflatable boats are built using a cutting-edge, powder-coating pretreatment process that is chrome-free. This new eco-friendly technology maximizes corrosion protection and ensures superior coating adherence to the aluminum hull.

Emissions

Our commitment to caring for our planet extends to building our inflatable boats with NMMA certified fuel systems. They are designed, based on country-specific regulations, to minimize evaporative emissions.

Aluminum RIBs

Our aluminum hull RIBs are lightweight, enabling the use of lower-horsepower engines without sacrificing performance. This ultimately means less fuel is being used, resulting in lower emissions. Aluminum is also a highly recyclable material, allowing us to sustainably avoid using up natural resources and unnecessary energy during the production process of this material.



ABJET®

Above & beyond
the standard

ABJET 390 XP



- **Innovation, performance, comfort and style.**
- **Powered by BRP Rotax® Engine (OEM).**
- **100% Built in house: including inflatable tubes, hull and deck, electrical and rigging installations.**
- **Innovative design which maximizes weight distribution.**
- **Optimized overall person capacity with two people at pilot seat.**
- **Ergonomic Side Mounted Throttle for better maneuverability and control.**
- **Flat floors on deck free of obstacles and convenient swim platform.**
- **International Service Coverage and Warranty.**

ABJET 290 S



ABJET 390 XP

STANDARD FEATURES

- ROTAX ACE 90 ECT - 90HP (290 - 350)
- ROTAX ACE 170 ECT - 170HP / WITH REDUCTION 120HP (380 - 430)
- POWER REDUCTION KEY (380 - 430)
- 12V DC SOCKET
- USB PORT
- INTEGRATED FUEL TANK
- DIAMOND NON-SKID DECK
- REAR SEAT WITH AMPLE STORAGE (290, 330 & 380)
- DUAL REAR SEAT (350, 390, 430 & 465)
- FULLY UPHOLSTERED SEATING-SPRADLING®
- INTEGRATED BOW LOCKER (EXCEPT 290)
- EASY PORT & STARBOARD ACCESS
- STAINLESS STEEL PORT/STARBOARD HAND RAILS
- AMPLE ENGINE ACCESS
- STAINLESS STEEL BOW EYE
- FIBERGLASS BOW STEP WITH CUSHION & STAINLESS STEEL FOLDABLE CLEAT (380 - 465)
- COOLER / STORAGE WITH DRAIN (290, 330 & 380)
- BUILT-IN COOLER / STORAGE WITH DRAIN (390, 430 & 465)
- 2 STERN STAINLESS STEEL FOLDABLE CLEATS
- 3 STAINLESS STEEL DAVIT LIFTING POINTS (4 FOR 330 & 380)
- STAINLESS STEEL SKI-EYE & STERN HAND RAIL (290, 330 & 380)
- INTEGRATED LATERAL STAINLESS STEEL REAR RAILS (430 & 465)
- STAINLESS STEEL SKI-POLE (350, 390, 430 & 465)
- STAINLESS STEEL TRANSOM TIE DOWNS
- BATTERY BOX
- RECESSED CUP HOLDERS
- WATER TIGHT ENGINE COMPARTMENT
- ORCA (CSM) FABRIC
- ORCA (CSM) FABRIC HANDLES ON TUBES

- NON-CORROSIVE PUSH-PUSH INFLATION VALVES
- SINGLE SOLID RUB RAIL (290 - 390 XP)
- DOUBLE SOLID RUB RAIL (430 - 465)
- SELF BAILING DECK SYSTEM WITH NON-RETURN VALVES
- STAINLESS STEEL DRAIN PLUGS
- AUTOMATIC FIRE EXTINGUISHER
- SAFETY LANYARD SWITCH
- AUTOMATIC 500GPH BILGE PUMP
- REMOVABLE POLE LED NAVIGATION LIGHT (290 - 350)
- STAINLESS STEEL LED NAVIGATION LIGHT (380 - 465)
- REMOVABLE LED ANCHOR LIGHT
- BATTERY SWITCH
- MAINTENANCE - FREE BATTERY
- ENGINE COMPARTMENT IN-LINE BLOWER
- SPORT WHEEL
- STEERING SYSTEM
- SPORT ADJUSTABLE STEERING WHEEL (350, 390, 430 & 465)
- COMPLETE TIN WIRING & (HEAD) HEAT SHRINK SEAL TERMINALS
- CONTROL PANEL (INCLUDES FUEL GAUGE)
- SHIFT CONTROL (ELECTRONIC FOR 465)
- STAINLESS STEEL GAS SPRINGS FOR ENGINE COMPARTMENT
- UNDER PLATFORM STAINLESS STEEL SLIDING LADDER
- HAND PUMP & MAINTENANCE KIT
- OWNER'S MANUAL
- CATALYTIC EXHAUST SYSTEM
- MUFFLER & SILENCER
- REMOVABLE LATERAL SEAT (350 & 390)
- INR-INTELLIGENT NEUTRAL AND REVERSE (465)



OPTIONAL FEATURES

- _____ SUNBED (430 & 465)
- _____ SYNTHETIC TEAK FLOOR
- _____ BOAT COVER
- _____ TELESCOPIC PADDLE
- _____ STEREO SYSTEM & COMPASS
- _____ GPS CHART PLOTTER / SOUNDER
- _____ STAINLESS STEEL TIE DOWNS
- _____ QUICK RELEASE WHEEL
- _____ BIMINI KIT
- _____ STAINLESS STEEL ANCHOR
- _____ NAME ON UPHOLSTERY
- _____ LED COURTESY LIGHTS
- _____ BATTERY CHARGER
- _____ VHF & ANTENNA
- _____ FIBERGLASS BOW STEP WITH & STAINLESS STEEL FOLDABLE CLEAT (290)
- _____ FIBERGLASS BOW STEP WITH CUSHION & STAINLESS STEEL FOLDABLE CLEAT (330-350)
- _____ SPORT ADJUSTABLE STEERING WHEEL (290, 330 & 380)
- _____ COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

**ABJET®
JET TENDERS**

The definition of innovation, performance, comfort and style.

Our ABJET® line seamlessly marries performance with luxurious style, providing comfort, safety and the unparalleled quality craftsmanship that AB Inflatables® is known for.

The unique and meticulously designed deck maximizes space while optimizing boat stability and promoting better weight distribution. The ABJET® deck is made from a single unit of fiberglass, meaning no added or moving parts, quiet navigation, easier maintenance and increased longevity.

The ABJET® is designed to comfortably seat two people at the pilot's seat on the smaller models offering the best person capacity in the segment. With a flat floor deck free of obstacles, an ergonomically positioned throttle a sport console with cupholders, a convenient platform with a stainless-steel sliding ladder, stainless-steel handles, rails and other features of the highest quality, our ABJET® Portfolio guarantees a seamless experience on the water.

Powered by BRP-Rotax® (OEM), the ABJET® guarantees peace of mind. In addition, owners are fully backed-up by a dedicated aftersales and engineering ABJET® team and an international service network.



ABJET®

Jet tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.




ABJET 465XP

ABJET 330 | MAIN FEATURES




ABJET 430XP







OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 7" / 1,70m
INSIDE LENGTH	7' / 2,13m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	4
WEIGHT	683lbs / 310kg
RECOMMENDED HP	N/A
MAXIMUM HP	90
SHAFT LENGTH	N/A




OVERALL LENGTH	10' 10" / 3,30m
OVERALL BEAM	5' 8" / 1,72m
INSIDE LENGTH	8' 1" / 2,45m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	5
WEIGHT	728lbs / 330kg
RECOMMENDED HP	N/A
MAXIMUM HP	90
SHAFT LENGTH	N/A




OVERALL LENGTH	12' 8" / 3,86m
OVERALL BEAM	5' 10" / 1,78m
INSIDE LENGTH	10' 2" / 3,10m
INSIDE BEAM	2' 11" / 0,89m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	6
WEIGHT	882lbs / 400kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A




OVERALL LENGTH	11' 3.5" / 3,44m
OVERALL BEAM	5' 10" / 1,78m
INSIDE LENGTH	9' 8" / 2,95m
INSIDE BEAM	2' 10" / 0,86m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	5
WEIGHT	761lbs / 345kg
RECOMMENDED HP	N/A
MAXIMUM HP	90
SHAFT LENGTH	N/A



OVERALL LENGTH	12' 9.5" / 3,90m
OVERALL BEAM	5' 11" / 1,80m
INSIDE LENGTH	10' 08" / 3,25m
INSIDE BEAM	3' / 0,91m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	7
WEIGHT	959lbs / 435kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A



OVERALL LENGTH	14' 3" / 4,35m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	12' / 3,64m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	1102lbs / 500kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A



OVERALL LENGTH	15' / 4,56m
OVERALL BEAM	6' 7" / 2,01m
INSIDE LENGTH	13' / 3,96m
INSIDE BEAM	3' 4" / 1,01m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	8
WEIGHT	1257lbs / 570kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A

PICTURE A
REMOVABLE LATERAL SEAT
(350 & 390 XP).

PICTURE B
SUNBED SET (430 XP & 465 XP).

ABJET® 450

DIESEL


Engineered for greatness

- Power, performance, comfort, and luxury.
- Powered by Yanmar Diesel Engine (OEM).
- 100% Built in house: including inflatable tubes, hull and deck, electrical and rigging installations.
- Innovative design, unmatched ergonomics.
- International Service Coverage and Warranty



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

ABJET 450 DIESEL | MAIN FEATURES



STANDARD FEATURES

- YANMAR DIESEL ENGINE 110HP TURBOCHARGED
- ENGINE SILENCER
- YANMAR YD42 DIGITAL GAUGE
- CASTOLDI JET PUMP
- INTEGRATED MARINE GRADE ALUMINUM FUEL TANK (19 GAL.)
- GPS RAYMARINE AXIOM 7 - (7" TOUCH SCREEN MULTIFUNCTION DISPLAY)
- DIAMOND NON-SKID DECK
- DUAL PILOT SEAT
- ANODIZED ALUMINUM RETRACTABLE ARMRESTS
- FULLY UPHOLSTERED SEATING-SPRADLING®
- REAR SEAT WITH AMPLE STORAGE
- INTEGRATED BOW LOCKER
- EASY PORT & STARBOARD ACCESS
- INTEGRATED STAINLESS STEEL STERN RAILS
- AMPLE ENGINE ACCESS
- STAINLESS STEEL BOW EYE
- FIBERGLASS BOW STEP WITH CUSHION, NAVIGATION LIGHTS AND SS CLEAT
- 2 STERN STAINLESS STEEL FOLDABLE CLEATS
- 3 STAINLESS STEEL DAVIT LIFTING POINTS
- STAINLESS STEEL REMOVABLE SKI-POLE & STERN HAND RAIL
- STAINLESS STEEL TRANSOM TIE DOWNS
- BATTERY BOX
- 3 RECESSED CUP HOLDERS
- WATER TIGHT ENGINE COMPARTMENT SEAL
- BOARDING POLE & SOCKETS (PORT AND STARBOARD)
- FOLDING HELM CONSOLE WITH WINDSHIELD
- 828 ORCA® (CSM) FABRIC
- NON-CORROSIVE PUSH-PUSH INATION VALVES
- DOUBLE SOLID RUB RAIL
- REINFORCED EXTERNAL SEAMS
- ORCA® (CSM) FABRIC HANDLES ON TUBES
- STAINLESS STEEL DRAIN PLUGS

SELF BAILING DECK SYSTEM WITH NON-RETURN VALVES

- AUTOMATIC FIRE EXTINGUISHER
- SAFETY LANYARD SWITCH
- AUTOMATIC 750 GPH BILGE PUMP
- REMOVABLE POLE LED ANCHOR LIGHT
- BATTERY SWITCH
- MAINTENANCE-FREE BATTERY
- ENGINE COMPARTMENT IN-LINE BLOWER
- STYLISH ADJUSTABLE STEERING WHEEL
- QUICK RELEASE WHEEL
- HYDRAULIC STEERING SYSTEM
- COMPLETE TIN WIRING & (HEAD) HEAT SHRINK SEAL TERMINALS
- SINGLE LEVER THROTTLE WITH ELECTRONIC CONTROL
- STAINLESS STEEL GAS SPRINGS FOR ENGINE COMPARTMENT
- UNDER PLATFORM SLIDING SS LADDER
- HAND PUMP & MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- SYNTHETIC TEAK
- BOAT COVER
- FRESH WATER SHOWER SYSTEM
- STAINLESS STEEL TIE DOWNS
- BIMINI KIT
- STAINLESS STEEL ANCHOR
- NAME ON UPHOLSTERY
- NAME ON TUBES
- LED COURTESY LIGHTS
- BATTERY CHARGER
- TWIN BATTERY INSTALLATION
- VHF & ANTENNA
- COLOR BOAT CUSTOMIZATION
- SINGLE POINT LIFT

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER


FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



ABJET 450 NEW

DIESEL



OVERALL LENGTH	14' 8" / 4,47m
OVERALL BEAM	6' 8" / 2,03m
INSIDE LENGTH	13' 4" / 4,06m
INSIDE BEAM	3' 7" / 1,10m
TUBE DIAMETER	16,5" / 0,42m
PERSON CAPACITY	7
WEIGHT	1841lbs / 835kg
RECOMMENDED HP	N/A
MAXIMUM HP	110
SHAFT LENGTH	N/A



ABJET 450 DIESEL
ABJET DIESEL SERIES

The ABJET 450 Diesel is the first model in the AB Inflatables Diesel jet series, meticulously crafted, utilizing cutting-edge technology and the finest materials to ensure unmatched durability.

The ABJET 450 Diesel is powered by a YANMAR Engine, 110Hp Turbocharged, delivering not only absolute power but also ensuring peace of mind regardless of water conditions. Its propulsion system is completed with a Castoldi Jet Pump, creating a tender that glides effortlessly through the water.

Whether you are into watersports or simply cruising, the ABJET 450 Diesel is equipped with many standard features to meet your every desire. It can comfortably seat 7 persons and its interiors and pleasant spaces will provide an unforgettable experience.

Don't miss the chance to discover the ABJET 450 Diesel and embark on a journey where power, performance, and luxury converge.



PICTURE A
SINGLE LEVER THROTTLE WITH ELECTRONIC CONTROL

PICTURE B
YANMAR DIESEL ENGINE 110HP TURBOCHARGED.

PICTURE C
FOLDING HELM CONSOLE WITH WINDSHIELD AND AMPLE SPACES FOR ELECTRONICS AND GADGETS

Nautilus

DLX

A dream to pilot,
unparalleled style

17 DLX



- **Prestigious yacht tender.**
- **Full featured and well appointed.**
- **Comfortable, built-in, upholstered seating.**
- **Graceful lines and elegant styling.**
- **Built-in coolers and ample storage.**
- **Built-in marine grade aluminum fuel tank.**

15 DLX



17 DLX

STANDARD FEATURES

MECHANICAL STEERING SYSTEM (11-13)
 HYDRAULIC STEERING SYSTEM (14-19)
 STANDARD RIGGING FROM FACTORY
 HEIGHT ADJUSTABLE STEERING WHEEL (11, 12, 13, 17 & 19)
 12V DC SOCKET
 USB PORT
 STAINLESS STEEL GAS SPRINGS
 AUTOMATIC BILGE PUMP
 MASTER SWITCH
 BATTERY CHARGER (SUBJECT TO COUNTRY OF DELIVERY)
 FUEL/WATER SEPARATOR & CANISTER
 FUEL SENDING UNIT
 LED COURTESY LIGHTS
 SS LED NAVIGATION LIGHT
 ALL AROUND ANCHOR LIGHT (11-13)
 ALL AROUND LED ANCHOR LIGHT (14-19)
 STAINLESS STEEL BOW EYE
 BOW STEP
 INTEGRATED STAINLESS STEEL BOW RAILS
 BOW LOCKER WITH CUSHIONED SEATING
 FULLY UPHOLSTERED SEATING-SPRADLING®
 UNDER SEAT STORAGE COMPARTMENTS
 BUILT-IN COOLER WITH DRAIN
 CUPHOLDERS & PLEXIGLASS WINDSHIELD (MODELS 11-17)
 3 STAINLESS STEEL FOLD DOWN CLEATS
 3 STAINLESS STEEL DAVIT LIFTING POINTS
 MOLDED-IN FIBERGLASS REAR SEAT, CONSOLE & SEATS
 INTEGRATED FUEL TANK
 FRESH WATER SYSTEM (MODELS 14-19)

OPTIONAL FEATURES

SOLID SINGLE RUB RAIL (11-12)
 SOLID DOUBLE RUB RAIL (13-19)
 SUNBATHING BED (MODELS 17 & 19)
 STAINLESS STEEL TIE DOWN EYES
 STAINLESS STEEL TOW RINGS
 STERN RECESSED FOLDABLE LADDER (17)
 3 LAYER REINFORCED SEAMS
 ORCA (CSM) FABRIC
 HAND PUMP
 MAINTENANCE KIT
 OWNER'S MANUAL
 REMOVABLE LATERAL SEAT (11 & 12)
 SUNBATHING BED (15)
 HEIGHT ADJUSTABLE STEERING WHEEL (14 & 15)
 FLIP UP SEAT (13 TO 19)
 LIGHT ARCH
 BIMINI TOP
 SYNTHETIC TEAK FLOOR
 COMPASS
 STEREO SYSTEM
 VHF RADIO
 GPS
 ROD HOLDERS
 STAINLESS STEEL SKI TOW (12 TO 19)
 COVER
 TRANSOM LADDER (13-15)
 CHOCK SET
 CONSOLE COVER
 LIFTING HARNESS
 COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com

11 DLX

12 DLX

13 DLX

14 DLX

15 DLX

17 DLX
WIDEBODY
BOWRIDER

19 DLX
WIDEBODY
BOWRIDER

19 DLX-I/O
WIDEBODY
BOWRIDER



13 DLX



14 DLX

NAUTILUS | DLX
LUXURY CONSOLE TENDERS

A perfect blend of thoughtful design, top-of-the-line features and elegant craftsmanship.

Performance driven & beautifully crafted, our full-featured molded-in deck Nautilus line remains unparalleled in quality and style.

Our thoughtfully redesigned line features the finest maneuverability, stylish stainless-steel lateral rails, cupholders, built-in coolers, ample storage, elegant upholstery and windshield made to keep up with the adventure-seekers while providing comfort to those seeking relaxation. From the cushioned bow area to the convenient low helm station and its ergonomically positioned throttle, this handcrafted model, which delivers extra safety for children and pets, is specially designed for comfort and elegance.

Eight models available between 11 to 19 feet.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



Nautilus


DLX

Luxury console tenders



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

NAUTILUS 17 DLX | MAIN FEATURES



11 DLX	12 DLX	13 DLX
REMOVABLE LATERAL SEAT	REMOVABLE LATERAL SEAT	
OVERALL LENGTH 11' / 3.35m	OVERALL LENGTH 12' / 3.66m	OVERALL LENGTH 13' / 3.96m
OVERALL BEAM 6' / 1.82m	OVERALL BEAM 6' / 1.82m	OVERALL BEAM 6' 5" / 1.95m
INSIDE LENGTH 8' / 2.44m	INSIDE LENGTH 9' 2" / 2.79m	INSIDE LENGTH 9' 9" / 2.97m
INSIDE BEAM 2' 10" / 0.86m	INSIDE BEAM 2' 10" / 0.86m	INSIDE BEAM 3' 1" / 0.94m
TUBE DIAMETER 17" / 0.43m	TUBE DIAMETER 17" / 0.43m	TUBE DIAMETER 18" / 0.46m
PERSON CAPACITY 4	PERSON CAPACITY 5	PERSON CAPACITY 5
WEIGHT 456lbs / 207kg	WEIGHT 515lbs / 234kg	WEIGHT 612lbs / 278kg
RECOMMENDED HP 30	RECOMMENDED HP 40	RECOMMENDED HP 40
MAXIMUM HP 40	MAXIMUM HP 50	MAXIMUM HP 60
SHAFT LENGTH 20" / 50.8cm	SHAFT LENGTH 20" / 50.8cm	SHAFT LENGTH 20" / 50.8cm



PICTURE A
STANDARD REMOVABLE LATERAL SEAT ON 11 & 12 DLX






PICTURE B
THE BOW AREA ON NAUTILUS 15 (OPTIONAL), 17 AND 19 MODELS CAN BE CONVERTED INTO A SUNBATHING BED

14 DLX**15 DLX****17 DLX****19 DLX****19 DLX-I/O**

WIDEBODY BOWRIDER

WIDEBODY BOWRIDER

WIDEBODY BOWRIDER



OVERALL LENGTH	14' / 4.27m
OVERALL BEAM	6' 6" / 1.98m
INSIDE LENGTH	10' 10" / 3.30m
INSIDE BEAM	3' 1" / 0.94m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	6
WEIGHT	730lbs / 332kg
RECOMMENDED HP	50
MAXIMUM HP	70
SHAFT LENGTH	20" / 50,8cm

OVERALL LENGTH	15' / 4.57m
OVERALL BEAM	6' 9" / 2.05m
INSIDE LENGTH	11' 6" / 3.50m
INSIDE BEAM	3' 2" / 0.97m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	6
WEIGHT	766lbs / 348kg
RECOMMENDED HP	60
MAXIMUM HP	75
SHAFT LENGTH	20" / 50,8cm

OVERALL LENGTH	17' / 5.18m
OVERALL BEAM	8' 1" / 2.46m
INSIDE LENGTH	13' 1" / 4.00m
INSIDE BEAM	4' 5" / 1.35m
TUBE DIAMETER	20" / 0,51m
PERSON CAPACITY	10
WEIGHT	1250lbs / 568kg
RECOMMENDED HP	90
MAXIMUM HP	115
SHAFT LENGTH	20" / 50,8cm

OVERALL LENGTH	19' / 5.79m
OVERALL BEAM	8' 4" / 2.54m
INSIDE LENGTH	15' 4" / 4.67
INSIDE BEAM	4' 5" / 1.35m
TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	12
WEIGHT	1639lbs / 745kg
RECOMMENDED HP	115
MAXIMUM HP	150
SHAFT LENGTH	25" / 63,5cm

OVERALL LENGTH	19' / 5.79m
OVERALL BEAM	8' 4" / 2.54m
INSIDE LENGTH	15' 4" / 4.67
INSIDE BEAM	4' 5" / 1.35m
TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	10
WEIGHT	1551lbs / 705kg
RECOMMENDED HP	150
MAXIMUM HP	220
SHAFT LENGTH	

**15 DLX**

PICTURE C
ALL NAUTILUS BOATS FEATURE BUILT-IN COOLERS

PICTURE D
NEW COMFORTABLE THROTTLE CONTROL (13-17 DLX) / OPTIONAL FLIP UP SEAT (13-19) DLX

PICTURE E
NAUTILUS MODELS OFFER AMPLE STORAGE BENEATH THE STERN SEAT

Oceanus

VST

Unsurpassed performance & versatility

14VST



- **Fiberglass sport console rib.**
- **Open and spacious design.**
- **Stylish consoles with windshields and rails.**
- **Four davit lifting points.**
- **Cushioned bow locker.**
- **Ideal for diving and fishing.**
- **Large capacity for crew & equipment.**
- **Primary boat or yacht tender.**
- **Built-in marine grade aluminum fuel tank.**
- **Bow step with back rest cushion.**



28 VST



21 VST

STANDARD FEATURES

MECHANICAL STEERING SYSTEM (12-15)
 HYDRAULIC STEERING SYSTEM (17-28)
 STANDARD RIGGING FROM FACTORY
 HEIGHT ADJUSTABLE STEERING WHEEL (17 FE VERSION & 28)
 12V DC SOCKET (17-28)
 USB PORT (17-28)
 STAINLESS STEEL GAS SPRINGS
 LED COURTESY LIGHTS (17 FE VERSION, 19-28)
 SS LED NAVIGATION LIGHT
 ALL AROUND LED ANCHOR LIGHT
 AUTOMATIC BILGE PUMP
 MASTER SWITCH
 BATTERY CHARGER (17 FE VERSION, 19-28 / SUBJECT TO COUNTRY OF DELIVERY)
 FUEL/WATER SEPARATOR & CANISTER
 FUEL SENDING UNIT
 STAINLESS STEEL BOW EYE
 BOW STEP WITH CUSHION
 STAINLESS STEEL GRAB HANDLES ON TUBES (EXCEPT 17 BE VERSION, 21-28)
 BOW LOCKER WITH CUSHIONED SEATING
 FULLY UPHOLSTERED SEATING-SPRADLING®
 UNDER SEAT STORAGE COMPARTMENTS
 3 STAINLESS STEEL FOLD DOWN CLEATS
 4 STAINLESS STEEL DAVIT LIFTING POINTS (EXCEPT 21-28)
 FIBERGLASS CONSOLE WITH PLEXIGLASS WINDSHIELD & GRAB RAIL
 MOLDED-IN REAR SEAT WITH AMPLE STORAGE
 LEANING BOLSTER (19-28)
 CUPHOLDERS (17 FE VERSION, 19, 21 & 24)
 INTEGRATED FUEL TANK
 FRESH WATER SYSTEM (17 FE VERSION, 19-28)

BOW RIDER SEATS (21 & 24)

STERN RECESSED FOLDABLE LADDER (17 & 21)
 STERN FOLDABLE LADDER (19)
 SOLID SINGLE RUB RAIL (12)
 SOLID DOUBLE RUB RAIL (13-28)
 STAINLESS STEEL TOW RINGS
 3 LAYER REINFORCED SEAMS
 ORCA (CSM) FABRIC
 HAND PUMP
 MAINTENANCE KIT
 OWNER'S MANUAL

OPTIONAL FEATURES

BOW RIDER SEATS (17 & 28)
 SUNBATHING BED (17 & 21)
 LIGHT ARCH
 BIMINI TOP
 T-TOP (MODEL 19 - 28)
 SYNTHETIC TEAK FLOOR
 COMPASS
 STEREO SYSTEM
 VHF RADIO
 GPS
 ROD HOLDERS
 STAINLESS STEEL SKI ARCH (14-28)
 COVER
 LATERAL TUBE LADDER
 CHOCK SET
 CONSOLE COVER
 LIFTING HARNESS (EXCEPT 24 & 28)
 4 STAINLESS STEEL DAVIT LIFTING POINTS (21-28)
 FIBERGLASS CONSOLE WITH LATERAL SEAT (13-17)
 COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



OCEANUS | VST
FIBERGLASS CONSOLE TENDERS

The definition of versatility, comfort and performance.

Ready to serve as the perfect tender or as a primary boat, our Oceanus fiberglass sport console RIB delivers unsurpassed performance, convenience, and capacity.

Experienced mariners will instantly spot what sets the Oceanus apart: a wide array of standard and optional features create a sporty and dynamic RIB ready for anything. The generous space aboard the Oceanus range of RIBs is a result of our unique forward-hull design. This stylish yet functional layout provides a comfortable ride, with ample storage for gear or the day's provisions. Built with an extra-deep V-hull, the Oceanus cuts through chop while keeping passengers dry.

Nine models available between 12 to 28 feet.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Oceanus


VST

Fiberglass
console tenders



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

OCEANUS 15 VST | MAIN FEATURES



17 VST



15 VST




14 VST



A




B




C

12 VST




OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' 1" / 1,86m
INSIDE LENGTH	9' 2" / 2,79m
INSIDE BEAM	2' 10" / 0,86m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	6
WEIGHT	405lbs / 184kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm

13 VST




OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 4" / 1,93m
INSIDE LENGTH	9' 9" / 2,97m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	477lbs / 217kg
RECOMMENDED HP	40
MAXIMUM HP	60
SHAFT LENGTH	20" / 50,8cm

14 VST




OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 5" / 1,96m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT	510lbs / 232kg
RECOMMENDED HP	50
MAXIMUM HP	70
SHAFT LENGTH	20" / 50,8cm

15 VST




OVERALL LENGTH	15' / 4,57m
OVERALL BEAM	6' 6" / 1,99m
INSIDE LENGTH	11' 6" / 3,50m
INSIDE BEAM	3' 2" / 0,97m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	9
WEIGHT	605lbs / 275kg
RECOMMENDED HP	60
MAXIMUM HP	75
SHAFT LENGTH	20" / 50,8cm

17 VST



OVERALL LENGTH	17' / 5,18m
OVERALL BEAM	8' 1" / 2,46m
INSIDE LENGTH	13' 1" / 3,99m
INSIDE BEAM	4' 2" / 1,27m
TUBE DIAMETER	20" / 0,51m
PERSON CAPACITY	12
WEIGHT	1104lbs / 502kg
RECOMMENDED HP	90
MAXIMUM HP	115
SHAFT LENGTH	20" / 50,8cm


19 VST



OVERALL LENGTH	19' / 5,79m
OVERALL BEAM	8' 4" / 2,53m
INSIDE LENGTH	14' 11" / 4,55m
INSIDE BEAM	4' 4" / 1,32m
TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	15
WEIGHT	1252lbs / 569kg
RECOMMENDED HP	115
MAXIMUM HP	150
SHAFT LENGTH	25" / 63,5cm

21 VST


BOWRIDER



OVERALL LENGTH	21' 4" / 6,50m
OVERALL BEAM	8' 10" / 2,70m
INSIDE LENGTH	17' 3" / 5,25m
INSIDE BEAM	4' 9" / 1,44m
TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	18
WEIGHT	1808lbs / 820kg
RECOMMENDED HP	150
MAXIMUM HP	225
SHAFT LENGTH	25" / 63,5cm


24 VST

BOWRIDER



OVERALL LENGTH	24' / 7,31m
OVERALL BEAM	9' 3" / 2,82m
INSIDE LENGTH	19' 3" / 5,87m
INSIDE BEAM	5' 4" / 1,64m
TUBE DIAMETER	24" / 0,61m
PERSON CAPACITY	20
WEIGHT	2213lbs / 1006kg
RECOMMENDED HP	150
MAXIMUM HP	250
SHAFT LENGTH	25" / 63,5cm

28 VST



OVERALL LENGTH	27' 4" / 8,33m
OVERALL BEAM	10' 1" / 3,07m
INSIDE LENGTH	22' 11" / 6,99m
INSIDE BEAM	6' 4" / 1,93m
TUBE DIAMETER	24" / 0,61m
PERSON CAPACITY	25
WEIGHT	2853lbs / 1297kg
RECOMMENDED HP	250
MAXIMUM HP	500
SHAFT LENGTH	30" / 76,2cm

PICTURE A
ALL VST MODELS INCLUDE THE CUSHION ON THE BOW STEP

PICTURE B
FOLD DOWN CLEATS AT THE BOW AND STERN OFFER SECURING POINTS WITHOUT GETTING IN THE WAY

PICTURE C
ALL AB CONSOLES INCLUDE HATCHES FOR EASY ACCESS TO ELECTRONICS AND GAUGES

Mares

VSX


Compact,
lightweight &
practical

- **Fiberglass Sport Console Rib.**
- **Ideal as a Yacht Tender.**
- **Light weight yet rugged construction.**
- **Cushioned Bow Locker.**
- **Four Davit Lifting points.**
- **Ample Storage.**
- **Cup Holders.**



11 VSX

MARES 11 VSX | MAIN FEATURES



STANDARD FEATURES

- MECHANICAL STEERING SYSTEM
- STANDARD RIGGING FROM FACTORY
- STAINLESS STEEL BOW EYE
- BOW LOCKER SEAT & CUSHION
- INTEGRATED FIBERGLASS CONSOLE
- FOLDABLE CONSOLE (10, 11)
- PLEXIGLASS WINDSHIELD
- SS LED SIDE NAVIGATION LIGHT
- ALL AROUND LED ANCHOR LIGHT
- AUTOMATIC BILGE PUMP
- MASTER SWITCH
- FULLY UPHOLSTERED SEATING-SPRADLING®
- UNDER SEAT STORAGE COMPARTMENTS
- 4 STAINLESS STEEL DAVIT LIFTING POINTS
- SINGLE SOLID RUB RAIL
- STAINLESS STEEL TOW RINGS
- ORCA (CSM) FABRIC HANDLES ON TUBES
- 3 LAYER REINFORCED SEAMS
- ORCA (CSM) FABRIC
- HAND PUMP
- MAINTENANCE KIT
- OWNER'S MANUAL
- CUPHOLDER
- REMOVABLE LATERAL SEAT (11)
- BOW LOCKER SEAT WITH VENT & STORAGE TO FIT A 6 GAL PORTABLE FUEL TANK (11)

OPTIONAL FEATURES

- TUBE CHAPS
- COVER
- CHOCK SET
- BIMINI TOP
- LIFTING HARNESS
- STEREO SYSTEM
- COMPASS
- GPS
- VHF RADIO
- BOW STEP WITH STAINLESS STEEL FOLD DOWN CLEAT
- LATERAL STAINLESS STEEL FOLD DOWN CLEAT
- COLOR BOAT CUSTOMIZATION
- HYDRAULIC STEERING SYSTEM
- SYNTHETIC TEAK FLOOR

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



MARES | VSX
LIGHTWEIGHT FIBERGLASS
CONSOLE TENDERS

Our most compact, practical and comfortable sport console tender.

Whether you are looking to explore the local waters, secluded fishing spots, or just looking for a fun night out on the town, our Mares console tender is the way to go. It offers comfortable and convenient seating positions for a relaxing boating day.

Our Mares tender features a durable fiberglass hull designed for extra stability and superior handling and in addition, its deck is made from a single molded-in fiberglass deck for quiet navigation and greater durability. It guarantees a smooth, dry ride, and though lightweight, its durable construction ensures years of dependable service.

Tailored with a comfortable cushioned seating area, console with cupholder, a roomy non-skid deck and a long list of standard features, the Mares is the ideal tender for family fun. It also includes an abundance of storage, offering a flip open rear seat and concealed bow locker. With four lifting points, it is also conveniently easy to haul on to davits or decks.

Three models are available in 10, 11 and 12ft.

10 VSX		11 VSX		12 VSX	
		REMOVABLE LATERAL SEAT			
OVERALL LENGTH	10' 6" / 3,19m	OVERALL LENGTH	11' 4" / 3,45m	OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	5' 7" / 1,72m	OVERALL BEAM	5' 9" / 1,77m	OVERALL BEAM	6' / 1,82m
INSIDE LENGTH	7' 7" / 2,31m	INSIDE LENGTH	8' 1" / 2,47m	INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 8" / 0,81m	INSIDE BEAM	2' 8" / 0,81m	INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	17" / 0,43m	TUBE DIAMETER	18" / 0,46m	TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	4	PERSON CAPACITY	4	PERSON CAPACITY	5
WEIGHT	287lbs / 130kg	WEIGHT	317lbs / 144kg	WEIGHT	337lbs / 153kg
RECOMMENDED HP	25	RECOMMENDED HP	30	RECOMMENDED HP	30
MAXIMUM HP	30	MAXIMUM HP	40	MAXIMUM HP	40
SHAFT LENGTH	15-20" / 38,1-50,8cm	SHAFT LENGTH	20" / 50,8cm	SHAFT LENGTH	20" / 50,8cm



PICTURE A
 STANDARD REMOVABLE LATERAL SEAT (11)

PICTURE B
 BOW LOCKER WITH STORAGE TO FIT A 6 GAL PORTABLE FUEL TANK (11)

Navigo

VS

The roomiest on the market

10 VS



- Full featured open tender.
- Attractive non-skid diamond pattern floor.
- Four davit lifting points.
- Large bow locker with seating.
- Double fiberglass hull.
- Double rub rail.
- Smaller models from 8-10ft offer an 820 CSM Orca® Fabric for higher protection and resistance.
- Bow Locker / Seat to fit a portable fuel tank (9-14 VS).



9 VS

8 VS

9 VS

10 VS

12 VS

13 VS



10 VS



15 VS

14 VS | 15 VS | 17 VS | 19 VS

NAVIGO | VS
OPEN FIBERGLASS TENDERS

The most spacious fiberglass RIB on the market, easily customizable to fit your every need.

With its unique forward-hull design, our full-featured Navigo is the most spacious fiberglass RIB on the market. Ready for whatever comes its way, this is the ideal tender for a day trip to the beach, an adventurous morning of snorkeling, or simply transporting family and friends in style.

The modular design of the Navigo allows for easy customization. From seating choices including bench seats, consoles and even two-person jockey seats, this boat can be personalized to fit your unique needs and style. With its incredibly durable and dependable double fiberglass hull, everything about the Navigo speaks to convenience and practicality.

On our smaller models, which are very popular among charter companies, portable fuel tanks can be fitted in the bow lockers with the fuel line hidden, leaving the deck free of obstructions. As well, built in fuel tanks can be installed in our larger models. With four davit lifting points, an elegant, non-skid diamond patterned floor and a large bow locker, the Navigo is one of our must-have RIBs. Last but not least, even the smaller models from 8-10ft offer an 820 CSM Orca® Coated Fabric which brings extra protection and with-it greater resistance and durability.

Nine models available between 8 to 19 feet.



14 VS

STANDARD FEATURES

- STAINLESS STEEL BOW EYE
- BOW LOCKER SEAT WITH VENT & STORAGE TO FIT A 6 GAL PORTABLE FUEL TANK (9 TO 14)
- UNDER DECK CHANNEL FOR FUEL LINE WITH SS STARBURST (9 TO 14)
- 4 STAINLESS STEEL DAVIT LIFTING POINTS
- REMOVABLE ROWING SEAT (8-10)
- REMOVABLE SEAT (12)
- OARLOCK BASE WITH OARLOCKS (8-10)
- PADDLES (12-19)
- ORCA (CSM) FABRIC HANDLES ON TUBES
- ORCA (CSM) FABRIC
- ADDITIONAL AIR RETAINING CHAMBER UNDER THE FLOOR (8-14)
- SOLID SINGLE RUB RAIL (8-12)
- SOLID DOUBLE RUB RAIL (13-19)
- STAINLESS STEEL TOW RINGS (EXCEPT 12-19)
- 3 LAYER REINFORCED SEAMS
- HAND PUMP
- MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- PORTABLE FUEL TANK INSTALLED IN BOW LOCKER (9 TO 14)
- FIBERGLASS CONSOLE
- FIBERGLASS CONSOLE WITH FORWARD SEAT (13-19)
- FIBERGLASS CONSOLE WITH LATERAL SEAT (13-17)
- ONE PERSON JOCKEY SEAT
- TWO PERSON JOCKEY SEAT (12-19)
- BENCH SEAT WITH STORAGE (9-17)
- LEANING BOLSTER (15-19)
- MECHANICAL STEERING SYSTEM
- HYDRAULIC STEERING SYSTEM
- STANDARD RIGGING FROM FACTORY
- SS LED NAVIGATION LIGHT
- ALL AROUND LED ANCHOR LIGHT
- AUTOMATIC BILGE PUMP
- MASTER SWITCH
- FUEL / WATER SEPARATOR & CANISTER
- INTEGRATED FUEL TANK (15-19)
- BOW STEP WITH STAINLESS STEEL FOLD DOWN CLEAT
- LATERAL STAINLESS STEEL FOLD DOWN CLEAT
- BIMINI TOP
- COVER
- BOW HATCH CUSHION
- TUBE CHAPS
- CHOCK SET
- COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.




Navigo

VS


Open fiberglass tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



OVERALL LENGTH	8' 6" / 2,60m
OVERALL BEAM	5' 4" / 1,64m
INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 4" / 0,72m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	4
WEIGHT	125lbs / 57kg
RECOMMENDED HP	8
MAXIMUM HP	10
SHAFT LENGTH	15" / 38,1cm




OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	6' 9" / 2,06m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	152lbs / 69kg
RECOMMENDED HP	9.9
MAXIMUM HP	15
SHAFT LENGTH	15" / 38,1cm



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	7' 7" / 2,31m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	169lbs / 77kg
RECOMMENDED HP	15
MAXIMUM HP	25
SHAFT LENGTH	15" / 38,1cm

NAVIGO 10 VS | MAIN FEATURES AND OPTIONAL EQUIPMENT



AVAILABLE OPTIONS TO CUSTOMIZE YOUR BOAT



1. CONSOLE WITH FORWARD SEAT

H 42" / W 18" / D 32" - WT 48lbs
H 1.08m / W 0.45m / D 0.82m - WT 22Kg

2. BENCH SEAT WITH STORAGE

H 17" / W 30" / D 16" - WT 39lbs
H 0.43m / W 0.77m / D 0.40m - WT 18Kg
FITS STANDARD 6 GL FUEL TANK

3. CONSOLE WITHOUT FORWARD SEAT

H 38" / W 18" / D 16" - WT 33lbs
H 0.96m / W 0.45m / D 0.40m - WT 15Kg

4. TWO PERSON JOCKEY SEAT

H 34" / W 17" / D 48" - WT 35lbs
H 0.86m / W 0.42m / D 1.23m - WT 16Kg


5. CONSOLE WITH FORWARD SEAT (17FT)

H 42" / W 27" / D 34" - WT 95lbs
H 1.07m / W 0.69m / D 0.86m - WT 43Kg

6. CONSOLE (19FT)


H 58" / W 30" / D 25" - WT 119lbs
H 1.47m / W 0.77m / D 0.63m - WT 54Kg

12 VS




OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' / 1,82m
INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	202lbs / 92kg
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	15 - 20" / 38,1-50,8cm

13 VS



OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	9' 9" / 2,97m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	293lbs / 133kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm


14 VS



OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT	348lbs / 158kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm



A



B

PICTURE A
BOW LOCKER / SEAT TO FIT A PORTABLE FUEL TANK (9 TO 14)

PICTURE B
HIDDEN CHANNEL FOR FUEL LINE WITH SS STARBURST



7



9



8



10



11

7. LEAN ON & LATERAL SEAT.
H 31" / W 32" / D 15" - WT 29lbs
H 0.79m / W 0.81m / D 0.38m - WT 13Kg


9. FIBERGLASS SLIM CONSOLE
H 32" / W 19" / D 14" - WT 7lbs
H 0.81m / W 0.47m / D 0.35m - WT 16Kg

8. CONSOLE WITH FORWARD & LATERAL SEAT.
H 44" / W 33" / D 27" - WT 66lbs
H 1.12m / W 0.83m / D 0.69m - WT 30Kg
FITS STANDARD 6 GL FUEL TANK

10. BOW CLEAT
H 4.25" / W 15.87" / D 11.75" - WT 3.48lbs
H 0.10m / W 0.40m / D 0.30m - WT 1.58Kg


11. LATERAL CLEAT
H 2.38" / W 11.5" / D 7.5" - WT 2.16lbs
H 0.06m / W 0.3m / D 0.2m - WT 0.98Kg

15 VS




OVERALL LENGTH	15' / 4,57m
OVERALL BEAM	6' 6" / 1,99m
INSIDE LENGTH	11' 6" / 3,50m
INSIDE BEAM	3' 2" / 0,97m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	11
WEIGHT	484lbs / 220kg
RECOMMENDED HP	60
MAXIMUM HP	75
SHAFT LENGTH	20" / 50,8cm

17 VS



OVERALL LENGTH	17' / 5,18m
OVERALL BEAM	8' 1" / 2,46m
INSIDE LENGTH	13' 1" / 4,00m
INSIDE BEAM	4' 4" / 1,33m
TUBE DIAMETER	20" / 0,50m
PERSON CAPACITY	15
WEIGHT	772lbs / 350kg
RECOMMENDED HP	75
MAXIMUM HP	90
SHAFT LENGTH	20" / 50,8cm

19 VS



OVERALL LENGTH	19' / 5,79m
OVERALL BEAM	8' 4" / 2,53m
INSIDE LENGTH	15' 2" / 4,62m
INSIDE BEAM	4' 1" / 1,25m
TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	15
WEIGHT	1157lbs / 526kg
RECOMMENDED HP	115
MAXIMUM HP	150
SHAFT LENGTH	25" / 63,5cm


Ventus

VL

Light in weight,
heavy in features

- **Lightweight fiberglass tender.**
- **Ideal sailboat tender.**
- **Easily towed and lifted.**
- **Spacious interior with deeper freeboard.**
- **Full-length deep "V" keel.**
- **Special rubber non skid material.**
- **Smaller models from 8-10ft offer an 820 CSM Orca® Fabric for higher protection and resistance.**

VENTUS 10 VL | MAIN FEATURES



STANDARD FEATURES

- STAINLESS STEEL BOW EYE
- 3 STAINLESS STEEL DAVIT LIFTING POINTS
- REMOVABLE ROWING SEAT (8-10)
- REMOVABLE SEAT (12)
- OARLOCK BASE WITH OARLOCKS (EXCEPT MODEL 12)
- ORCA (CSM) FABRIC HANDLES ON TUBES
- ORCA (CSM) FABRIC
- ADDITIONAL AIR RETAINING CHAMBER UNDER THE FLOOR
- SINGLE RUB RAIL
- 3 LAYER REINFORCED SEAMS
- NON-SKID RUBBER FLOOR PANELS
- HAND PUMP
- MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- BIMINI TOP
- COVER
- TUBE CHAPS
- CHOCK SET
- BOW STEP WITH STAINLESS STEEL FOLD DOWN CLEAT
- LATERAL STAINLESS STEEL FOLD DOWN CLEAT
- COLOR BOAT CUSTOMIZATION
- BOW BENCH SEAT

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.





VENTUS | VL LIGHTWEIGHT FIBERGLASS TENDERS

Lightweight, full-length fiberglass deep-V RIB, designed for extra space, durability and performance.

Here at AB, we created the Ventus as the perfect lightweight fiberglass performance tender. Due to its unique design, the Ventus requires very little horsepower, without sacrificing maneuverability.

Whether you are cruising back to the marina for lunch or hosting a fishing trip, the Ventus packs a variety of features into one small, light package. Designed with a deeper freeboard, the Ventus is equipped with a spacious interior ensuring an enjoyable, stable and dry ride. Our larger sizes offer seating for up to six adults, while our smaller modes seats 4 adults. With an 820 CSM Orca® Coated Fabric on models from 8-10ft, it brings extra protection and with-it greater resistance and durability. Its integrated non-skid deck material also allows for extra safety and confidence on the water.

Keeping up with our standards of safety, we designed the Ventus with an additional air chamber built into the hull. Designed to be easily hauled onto a deck or davits, it can also be pulled up on a sandy beach for shore excursions with ease.

Four models available from 8 to 12 feet.


PICTURE A
VENTUS BOATS FEATURE AN ALUMINUM TRANSOM PROTECTOR WITH AN ENGINE SECURITY LIP, THREE DAVIT LIFTING POINTS, AND AN ADDITIONAL BUILT-IN AIR CHAMBER IN THE FLOOR FOR ADDED SAFETY

PICTURE B
OPTIONAL ALUMINUM BOW BENCH SEAT




B

8 VL




OVERALL LENGTH	8' 6" / 2,60m
OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 4" / 0,72m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	4
WEIGHT	95lbs / 43kg
RECOMMENDED HP	8
MAXIMUM HP	10
SHAFT LENGTH	15" / 38,1cm

9 VL




OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	6' 9" / 2,06m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	106lbs / 48kg
RECOMMENDED HP	9,9
MAXIMUM HP	15
SHAFT LENGTH	15" / 38,1cm

10 VL



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	7' 7" / 2,31m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	123lbs / 56kg
RECOMMENDED HP	15
MAXIMUM HP	25
SHAFT LENGTH	15" / 38,1cm

12 VL



OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	5' 10" / 1,77m
INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	156lbs / 71kg
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	15" / 38,1cm

Alumina

ALX

A tough legend

16 ALX



- Aluminum hull sport console rib.
- Light weight yet rugged construction.
- Durable enough for rocky shores & coral reefs.
- Requires less horsepower.
- Standard Seadeck® Foam Teak.
- Bow step with back rest cushion.

14 ALX



9.5 ALX

STANDARD FEATURES

MARINE GRADE ALUMINUM HULL
 CHROME FREE-ADVANCED PRETREATMENT & POWDER COATING TECHNOLOGY
 PORTABLE FUEL TANK INSTALLED IN BOW LOCKER (9.5-16)
 MECHANICAL STEERING SYSTEM (EXCEPT 18 WITH HYDRAULIC)
 SS LED NAVIGATION LIGHT
 ALL AROUND ANCHOR LIGHT (9.5-12)
 ALL AROUND LED ANCHOR LIGHT (13-18)
 AUTOMATIC BILGE PUMP
 MASTER SWITCH
 FUEL/WATER SEPARATOR & CANISTER FUEL SENDING UNIT (18)
 INTEGRATED FUEL TANK (18)
 STAINLESS STEEL GAS SPRINGS
 SOLID SINGLE RUB RAIL (9.5-12)
 SOLID DOUBLE RUB RAIL (13-18)
 SEADECK® FOAM TEAK
 BOW EYE
 DAVIT LIFTING POINTS
 TOW RINGS
 ORCA (CSM) FABRIC
 FULLY UPHOLSTERED SEATING-SPRADLING®
 FIBERGLASS CONSOLE WITH WINDSHIELD & RAIL
 BENCH SEAT WITH STORAGE
 BOW LOCKER WITH CUSHIONED SEATING
 3 STAINLESS STEEL FOLD DOWN CLEATS (EXCEPT 9.5 & 10 WITH 1)
 BOW STEP WITH CUSHION
 STANDARD RIGGING FROM FACTORY
 3 LAYER REINFORCED SEAMS
 RUBBER KEEL PROTECTOR
 HAND PUMP
 MAINTENANCE KIT
 OWNER'S MANUAL

OPTIONAL FEATURES

TUBE CHAPS
 COVER
 CHOCK SET
 BIMINI TOP
 LIFTING HARNESS
 SYNTHETIC TEAK
 STEREO SYSTEM
 COMPASS
 GPS
 VHF RADIO
 CONSOLE WITH LATERAL SEAT
 COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



16 ALX



12 ALX

ALUMINA | ALX
ALUMINUM CONSOLE TENDERS

Versatile, durable, and designed for the adventurous.

Designed with the aquatic adventurer in mind, the Alumina sport console RIB is the most complete aluminum console boat on the market. Its high-quality aluminum hulls make it durable enough to withstand all sorts of terrain, allowing you to confidently make your way through coral reefs, rivers and lakes in style and comfort.

Despite its strength and durability, the Alumina sport console line is also lightweight. This means easier launching and lifting onto davits, platforms, or simply up to the beach for a day of relaxing. This also means greater speed, less required horsepower and improved fuel economy.

Thoughtfully designed to be a multipurpose boat, the Alumina offers both ample storage compartments and a spacious deck layout. Features include as standard a steering system, bilge pump, bow locker, fitted portable fuel tank, LED navigation lights, all around lights and cleats. In addition to that, all the electrical and rigging installations are done in-house.

Our chrome-free Pretreatment and Powder Coating Technology offers a superior coating adherence. The Alumina also can be requested uncoated, which means less maintenance when it is frequently used on areas with underwater obstructions. These include lifting and towing eyes vertically positioned to avoid these from bending, reinforced transom knees and a large squared aluminum engine rest support.

Nine models available from 9.5 to 18 feet.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



Alumina


ALX

Aluminum console tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

ALUMINA 16 ALX | MAIN FEATURES AND OPTIONAL EQUIPMENT




9.5 ALX




OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	6' 11" / 2,11m
INSIDE BEAM	2' 6" / 0,76m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	236lbs / 107kg
RECOMMENDED HP	15
MAXIMUM HP	25
SHAFT LENGTH	20" / 50,8cm

10 ALX



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	7' 6" / 2,30m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	255lbs / 116kg
RECOMMENDED HP	15
MAXIMUM HP	25
SHAFT LENGTH	20" / 50,8cm

11 ALX




OVERALL LENGTH	11' 6" / 3,50m
OVERALL BEAM	5' 7" / 1,70m
INSIDE LENGTH	8' 6" / 2,60m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	284lbs / 129kg
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm




PICTURE A
BOW LOCKER / SEAT WITH FITTED PORTABLE FUEL TANK (9.5 TO 16)

PICTURE B
ALL ALX MODELS INCLUDE THE CUSHION ON THE BOW STEP


12 ALX



13 ALX



14 ALX



12 ALX



14 ALX




OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' 1" / 1,85m
INSIDE LENGTH	8' 10" / 2,70m
INSIDE BEAM	2' 11" / 0,89m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	315lbs / 143kg
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm

OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 7" / 2,00m
INSIDE LENGTH	9' 10" / 3,00m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	386lbs / 175kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm


OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 7" / 2,00m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT	408lbs / 185kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm




15 ALX



16 ALX



18 ALX



OVERALL LENGTH	15' / 4,57m
OVERALL BEAM	6' 9" / 2,06m
INSIDE LENGTH	11' 8" / 3,55m
INSIDE BEAM	3' 4" / 1,03m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	9
WEIGHT	481lbs / 218kg
RECOMMENDED HP	50
MAXIMUM HP	60
SHAFT LENGTH	20" / 50,8cm

OVERALL LENGTH	16' / 4,88m
OVERALL BEAM	7' / 2,14m
INSIDE LENGTH	13' 2" / 3,85m
INSIDE BEAM	3' 6" / 1,08m
TUBE DIAMETER	20" / 0,51m
PERSON CAPACITY	10
WEIGHT	534lbs / 242kg
RECOMMENDED HP	50
MAXIMUM HP	70
SHAFT LENGTH	20" / 50,8cm

OVERALL LENGTH	18' / 5,49m
OVERALL BEAM	7' 10" / 2,40m
INSIDE LENGTH	14' 8" / 4,47m
INSIDE BEAM	4' 3" / 1,30m
TUBE DIAMETER	21" / 0,53m
PERSON CAPACITY	12
WEIGHT	895lbs / 406kg
RECOMMENDED HP	90
MAXIMUM HP	115
SHAFT LENGTH	25" / 63,5cm



A

B

Lamina

AL

Amazingly tough
and light

10 AL



- Aluminum hull open tender.
- Light weight yet rugged construction.
- Perfect for limited capacity davits.
- Ideal sailboat tender.
- Durable enough for rocky shores & coral reefs.
- Seadeck® Eva foam non-skid floor
- Rubber keel protector on full length of keel.
- Smaller models from 8-10 ft offer an 820 CSM Orca® fabric for higher protection and resistance.

9.5 AL | SUPERLIGHT



12 AL | SUPERLIGHT

STANDARD FEATURES

MARINE GRADE ALUMINUM HULL
CHROME FREE-ADVANCED
PRETREATMENT & POWDER COATING
TECHNOLOGY
SINGLE RUB RAIL (8-10)
SOLID SINGLE RUB RAIL (11-12)
SOLID DOUBLE RUB RAIL (13-16)
BOW EYE
ALUMINUM DAVIT LIFTING POINTS
REMOVABLE ROWING SEAT (8-10)
REMOVABLE SEAT (11-16)
OARLOCK BASE WITH OARLOCKS
(8-10)
ORCA (CSM) FABRIC HANDLES
ON TUBES
ORCA (CSM) FABRIC
SEADEK® EVA FOAM NON-SKID FLOOR
TOW RINGS
3 LAYER REINFORCED SEAMS
RUBBER KEEL PROTECTOR
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL

OPTIONAL FEATURES

BOW LOCKER/SEAT WITH CUSHION
PORTABLE FUEL TANK INSTALLED IN
BOW LOCKER (9-16)
FIBERGLASS CONSOLE
FIBERGLASS CONSOLE WITH
FORWARD SEAT
FIBERGLASS CONSOLE WITH
LATERAL SEAT
ONE PERSON JOCKEY SEAT
TWO PERSON JOCKEY SEAT
BENCH SEAT WITH STORAGE
BOW STEP WITH STAINLESS STEEL
FOLD DOWN CLEAT
LATERAL STAINLESS STEEL FOLD
DOWN CLEAT
BIMINI TOP
COVER
TUBE CHAPS
CHOCK SET
MECHANICAL STEERING SYSTEM
HYDRAULIC STEERING SYSTEM
STANDARD RIGGING FROM FACTORY
SS LED NAVIGATION LIGHT
ALL AROUND LED ANCHOR LIGHT
AUTOMATIC BILGE PUMP
MASTER SWITCH
FUEL / WATER SEPARATOR & CANISTER
COLOR BOAT CUSTOMIZATION
SEADEK® FOAM TEAK


NOTE: SOME OPTIONAL FEATURES
MAY BE AVAILABLE THROUGH THE
AB DEALER

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com



10 AL | SUPERLIGHT



13 AL | SUPERLIGHT



**LAMMINA | AL
ALUMINUM TENDERS**

World-renowned, innovative design created to fit your needs.

This light-weight, hard-bottomed open tender is perfect for boats with lighter capacity davits. Featuring a tough aluminum hull for weight reduction and durability, this solidly constructed hull provides years of reliable use.

The Lammina AL easily cuts through wakes and chop with a lower horsepower than fiberglass tenders. A full-length rubber keel protector enables you to cruise through unknown areas without worry, and its double layer floor guarantee a dry deck and a stable ride. The bow locker serves as a convenient boarding step and comfortable seat for guests. You can also use it to store a portable fuel tank where the fuel line passes underneath the floor, leaving the deck free of obstructions. As an important key feature, the models from 8 to 10ft come with an 820 CSM Orca® Coated Fabric, it offers the thickest and strongest fabric in their segment which brings extra protection. The versatile full-sized Lammina AL has a modular design with customizable seating and console choices.

Our chrome-free Pretreatment and Powder Coating Technology offers a superior coating adherence. The Lammina AL line also can be requested uncoated. These include lifting and towing eyes vertically positioned to avoid these from bending and reinforced transom knees.

Ten models available from 8 to 16 feet.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

(*) MODELS 2017



Lamina

AL


Aluminum tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

8 AL	9 AL	9.5 AL
SUPERLIGHT	SUPERLIGHT	SUPERLIGHT
OVERALL LENGTH 8' 5" / 2,56m	OVERALL LENGTH 9' 1" / 2,76m	OVERALL LENGTH 9' 6" / 2,90
OVERALL BEAM 4' 9" / 1,45m	OVERALL BEAM 4' 9" / 1,45m	OVERALL BEAM 5' 6" / 1,68m
INSIDE LENGTH 5' 10" / 1,79m	INSIDE LENGTH 6' 3" / 1,90m	INSIDE LENGTH 6' 11" / 2,11m
INSIDE BEAM 2' / 0,62m	INSIDE BEAM 2' 2" / 0,66m	INSIDE BEAM 2' 6" / 0,76m
TUBE DIAMETER 16" / 0,41m	TUBE DIAMETER 16" / 0,41m	TUBE DIAMETER 17" / 0,43m
PERSON CAPACITY 4	PERSON CAPACITY 4	PERSON CAPACITY 5
WEIGHT W/ BOW LOCKER 97lbs / 44kg*	WEIGHT W/ BOW LOCKER 103lbs / 47kg*	WEIGHT W/ BOW LOCKER 125lbs / 57kg*
RECOMMENDED HP 4	RECOMMENDED HP 8	RECOMMENDED HP 8
MAXIMUM HP 6	MAXIMUM HP 10	MAXIMUM HP 15
SHAFT LENGTH 15" / 38,1cm	SHAFT LENGTH 15" / 38,1cm	SHAFT LENGTH 15" / 38,1cm

LAMMINA 12 AL MAIN FEATURES AND OPTIONAL EQUIPMENT



11 AL | SUPERLIGHT




PICTURE A
LAMMINA BOATS INCLUDE AN ALUMINUM TRANSOM PROTECTOR WITH AN ENGINE SECURITY LIP AND WELDED DAVIT LIFTING POINTS

PICTURE B
OPTIONAL BOW LOCKER FOR SEATING, STORAGE AND/OR TO FIT A 6 GALLON PORTABLE FUEL TANK (EXCEPT 9 AL)

10 AL


SUPERLIGHT



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	7' 6" / 2,30m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT W/ BOW LOCKER	144lbs / 65kg*
RECOMMENDED HP	10
MAXIMUM HP	20
SHAFT LENGTH	15" / 38,1cm

11 AL


SUPERLIGHT



OVERALL LENGTH	11' 6" / 3,50m
OVERALL BEAM	5' 7" / 1,70m
INSIDE LENGTH	8' 6" / 2,60m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	6
WEIGHT W/ BOW LOCKER	187lbs / 85kg*
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm

12 AL


SUPERLIGHT



OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' 1" / 1,85m
INSIDE LENGTH	8' 10" / 2,70m
INSIDE BEAM	2' 11" / 0,89m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT W/ BOW LOCKER	213lbs / 97kg*
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm

13 AL


SUPERLIGHT



OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 7" / 2,00m
INSIDE LENGTH	9' 10" / 3,00m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT W/ BOW LOCKER	235lbs/107kg*
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm

14 AL

SUPERLIGHT



OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 7" / 2,00m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT W/ BOW LOCKER	274lbs/124kg*
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm

AVAILABLE OPTIONS TO CUSTOMIZE YOUR BOAT



1. CONSOLE WITH FORWARD SEAT

H 42" / W 18" / D 32" - WT 48lbs
H 1.08m / W 0.45m / D 0.82m - WT 22Kg

2. BENCH SEAT WITH STORAGE

H 17" / W 30" / D 16" - WT 39lbs
H 0.43m / W 0.77m / D 0.40m - WT 18kg
FITS STANDARD 6 GL FUEL TANK

3. CONSOLE WITHOUT FORWARD SEAT

H 38" / W 18" / D 16" - WT 33lbs
H 0.96m / W 0.45m / D 0.40m - WT 15Kg

4. TWO PERSON JOCKEY SEAT

H 34" / W 17" / D 48" - WT 35lbs
H 0.86m / W 0.42m / D 1.23m - WT 16Kg

5. FIBERGLASS SLIM CONSOLE

H 32" / W 19" / D 14" - WT 7lbs
H 0.81m / W 0.47m / D 0.35m - WT 16Kg

6. BOW CLEAT

H 4.25" / W 15.87" / D 11.75" - WT 3.48lbs
H 0.10m / W 0.40m / D 0.30m - WT 1.58Kg

7. LATERAL CLEAT


H 2.38" / W 11.5" / D 7.5" - WT 2.16lbs
H 0.06m / W 0.3m / D 0.2m - WT 0.98Kg

(*) WEIGHT WITHOUT BOW LOCKER
FOR WEIGHTS WITHOUT BOW LOCKER,
PLEASE GO TO SPECIFICATIONS
SECTION.

NOTE: 9.5 & 10 AL ARE NOT BUILT TO
ADAPT BENCH SEAT & CONSOLE.

15 AL


SUPERLIGHT



OVERALL LENGTH	15' / 4,57m
OVERALL BEAM	6' 9" / 2,06m
INSIDE LENGTH	11' 8" / 3,55m
INSIDE BEAM	3' 4" / 1,03m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	9
WEIGHT W/ BOW LOCKER	357lbs/162kg*
RECOMMENDED HP	50
MAXIMUM HP	60
SHAFT LENGTH	20" / 50,8cm

16 AL

SUPERLIGHT



OVERALL LENGTH	16' / 4,88m
OVERALL BEAM	13' 2" / 4,00m
INSIDE LENGTH	12' 8" / 3,85m
INSIDE BEAM	3' 6" / 1,08m
TUBE DIAMETER	20" / 0,51m
PERSON CAPACITY	10
WEIGHT W/ BOW LOCKER	401lbs/182kg*
RECOMMENDED HP	50
MAXIMUM HP	70
SHAFT LENGTH	20" / 50,8cm


Lamina

UL

Extremely light
in weight and price

- Aluminum hull open tender.
- Ultra light and spacious.
- Ideal sailboat tender.
- Special rubber non-skid material.
- Exceptionally reasonable pricing.
- Smaller models from 8-10ft offer an 820 CSM Orca® Fabric for higher protection and resistance.

LAMMINA 9 UL | MAIN FEATURES



STANDARD FEATURES

- MARINE GRADE ALUMINUM HULLS
- SEADEK® EVA FOAM NON-SKID FLOOR
- ORCA (CSM) FABRIC
- BOW EYE
- ALUMINUM DAVIT LIFTING POINTS
- SINGLE RUB RAIL
- ORCA (CSM) FABRIC HANDLES ON TUBES
- REMOVABLE ROWING SEAT
- OARLOCK BASE WITH OARLOCKS
- 3 LAYER REINFORCED SEAMS
- HAND PUMP
- MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- COVER
- TUBE CHAPS
- CHOCK SET
- CHROME FREE - ADVANCED PRETREATMENT & POWDER COATING TECHNOLOGY
- COLOR BOAT CUSTOMIZATION
- BOW BENCH SEAT


NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.





7.5 UL

LAMMINA | UL
ULTRA LIGHT ALUMINUM TENDERS

Extremely light in weight, small but powerful, designed to deliver performance in style.

Built with the same quality standards as our larger, luxury models, the Lammina UL is our most sophisticated lightweight tender yet.

Created to deliver performance on the water, its open design also creates an interior that is ideal for safely transporting cargo and crew. Ideal for the cruising couple, this tender feature an ultra-lightweight aluminum hull and a stronger CSM Coated Fabric in 820 D-tex which means a higher level of resistance. Its smaller size is perfect for weaving through crowded moorings and exploring shallow bays. When the day's adventure is over, the Lammina UL's davit lifting points make for easier deck storage.

Although the tender is uncoated for minimal maintenance, you can choose to add a Chrome-free Pretreatment and Powder Coating. The UL line hulls are manufactured with key reinforcement points. These include lifting and towing eyes vertically positioned to avoid these from bending and reinforced transom knees.


Four models available from 7.5-10 feet.

PICTURE A
LAMMINA BOATS INCLUDE AN ALUMINUM TRANSOM PROTECTOR WITH AN ENGINE SECURITY LIP AND THREE WELDED DAVIT LIFTING POINTS


PICTURE B
OPTIONAL ALUMINUM BOW BENCH SEAT



B



OVERALL LENGTH	7' 10" / 2,39m	OVERALL LENGTH	8' 5" / 2,56m
OVERALL BEAM	4' 11" / 1,50m	OVERALL BEAM	4' 11" / 1,50m
INSIDE LENGTH	5' 5" / 1,65m	INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 2" / 0,66m	INSIDE BEAM	2' 2" / 0,66m
TUBE DIAMETER	16" / 0,41m	TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	3	PERSON CAPACITY	4
WEIGHT	72lbs / 33kg	WEIGHT	77lbs / 35kg
RECOMMENDED HP	3	RECOMMENDED HP	4
MAXIMUM HP	4	MAXIMUM HP	5
SHAFT LENGTH	15" / 38,1cm	SHAFT LENGTH	15" / 38,1cm



OVERALL LENGTH	9' 1" / 2,76m	OVERALL LENGTH	10' / 3,05m
OVERALL BEAM	4' 11" / 1,50m	OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	6' 3" / 1,90m	INSIDE LENGTH	7' 2" / 2,18m
INSIDE BEAM	2' 3" / 0,70m	INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	16" / 0,41m	TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4	PERSON CAPACITY	5
WEIGHT	84lbs / 38kg	WEIGHT	94lbs / 43kg
RECOMMENDED HP	8	RECOMMENDED HP	9.9
MAXIMUM HP	10	MAXIMUM HP	15
SHAFT LENGTH	15" / 38,1cm	SHAFT LENGTH	15" / 38,1cm

AB Rider

Exhilarating fun

- **The ultimate water experience.**
- **Outstanding performance.**
- **Lightweight and fuel efficient.**
- **A thrilling and versatile water craft.**



AB RIDER | MAIN FEATURES



STANDARD FEATURES

- STAINLESS STEEL BOW EYE
- UNDER SEAT STORAGE COMPARTMENT
- LARGE ANCHOR LOCKER
- 4 STAINLESS STEEL DAVIT LIFTING POINTS
- INTEGRATED JOCKEY SEAT
- SOLID SINGLE RUB RAIL
- FULLY UPHOLSTERED SEATING-SPRADLING®
- STAINLESS STEEL TOW RINGS
- 3 LAYER REINFORCED SEAMS
- STANDARD RIGGING FROM FACTORY
- ORCA (CSM) FABRIC
- HAND PUMP
- MAINTENANCE KIT
- OWNER'S MANUAL
- MECHANICAL STEERING SYSTEM

OPTIONAL FEATURES

- COVER
- COLOR BOAT CUSTOMIZATION

PICTURE A

THE AB RIDER OFFERS AMPLE STORAGE BENEATH THE BOW LOCKER TO HOLD THE FUEL TANK, ANCHOR AND OTHER GOODS.

PICTURE B


THERE IS AMPLE STORAGE SPACE BENEATH THE SEATING AREA.

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com

AB Rider



OVERALL LENGTH	10' 6" / 3,20m
OVERALL BEAM	5' 9" / 1,76m
INSIDE LENGTH	7' 9" / 2,37m
INSIDE BEAM	2' 10" / 0,86m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	273lbs / 124kg
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm



AB RIDER JOCKEY STYLE RIDER

The jockey style ultimate water experience, performance-driven and highly durable RIB.

The AB Rider is made for those who turn even the most mundane trips to shore into an exhilarating boat ride.

The powerful and sporty AB Rider is the perfect play-boat for charters and yachts. With water scooter-style seating, great maneuverability, and ample storage options, this versatile boat provides the ultimate experience on the water.

Our fuel-efficient, lightweight tender still offers the durability and safety AB is renowned for, making this jockey console both outstanding in performance and safety.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



SPECIFICATIONS



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

ABJET®



Nautilus



		ABJET 290 S	ABJET 330 S	ABJET 380 S	ABJET 350 XP	ABJET 390 XP	ABJET 430 XP	ABJET 465 XP	ABJET 450 DIESEL	11 DLX	12 DLX
LENGTH											
OVERALL	ft/in	9' 6"	10' 10"	12' 8"	11' 3,5"	12' 9,5"	14' 3"	15'	14' 8"	11'	12'
	m	2,90	3,30	3,86	3,44	3,90	4,35	4,56	4,47	3,35	3,66
INSIDE	ft/in	7'	8' 1"	10' 2"	9' 8"	10' 08"	12'	13'	13' 4"	8'	9' 2"
	m	2,13	2,45	3,10	2,95	3,25	3,64	3,96	4,06	2,44	2,79
BEAM											
OVERALL	ft/in	5' 7"	5' 8"	5' 10"	5' 10"	5' 11"	6' 4"	6' 7"	6' 8"	6'	6'
	m	1,70	1,72	1,78	1,78	1,80	1,94	2,01	2,03	1,82	1,82
INSIDE	ft/in	2' 9"	2' 9"	2' 11"	2' 10"	3'	3' 3"	3' 4"	3' 7"	2' 10"	2' 10"
	m	0,84	0,84	0,89	0,86	0,91	0,99	1,01	1,10	0,86	0,86
AREA											
INTERNAL AREA	sq.ft.	19,05	22,15	29,70	27,31	31,86	38,42	43,05	48,00	22,59	25,83
	m2	1,77	2,06	2,76	2,54	2,96	3,57	4,00	4,46	2,10	2,40
MAX TUBE DIAMETER											
	ft/in	16"	16"	17"	16"	17"	18"	18"	16" 5"	17"	17"
	m	0,41	0,41	0,43	0,41	0,43	0,46	0,46	0,42	0,43	0,43
NUMBER OF CHAMBERS											
		4	4	4	4	4	5	5	5	3	3
CAPACITY											
PERSONS		4	5	6	5	7	7	8	7	4	5
PAYLOAD	lbs	940	992	1278	1124	1290	1308	1710	1256	1258	1501
	kg	426	450	580	510	585	593	776	570	571	681
WEIGHT											
	lbs	683	728	882	761	959	1102	1257	1841	456	515
	kg	310	330	400	345	435	500	570	835	207	234
ENGINE											
RECOMMENDED	hp	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30	40
	kW	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22,4	29,8
MAX	hp	90	90	170	90	170	170	170	110	40	50
	kW	68	68	127	68	127	127	127	82,0	29,8	37,3
SHAFT LENGTH	in	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	20
	cm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	50,8	50,8
MAX WEIGHT	lbs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	242	242
	kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	110	110
BUILT-IN TANKS											
GAS	gal	10	10	16	11	11	16	26	72	13	13
	lt	38	38	61	42	42	61	98	19	49	49
WATER	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS											
(LENGTH x WIDTH x HEIGHT)	inch	120x56x38	136x58x40	158x61x41	132x52x34	161x63x39	179x68x43	187x71x45	183x69x63	126x47x37	132x51x28
	cm	305x147x98	345x147x101	401x155x104	335x132x86	409x160x99	455x174x110	475x180x115	465x176x160	320x120x95	335x130x70
RDC DESIGN CATEGORY											
		C	C	C	C	C	C	C	C	C	C

(*) 20" SHAFT ON TWIN ENGINES

(**) 25" SHAFT ON TWIN ENGINES

(***) AVAILABLE IN GAS OR DIESEL I/O AND GAS JET

(****) AVAILABLE FOR SHORT & LONG SHAFT ENGINES

THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY



17 DLX



82 VST

Oceanus



13 DLX	14 DLX	15 DLX	17 DLX WIDEBODY BOWRIDER	19 DLX WIDEBODY BOWRIDER	19 DLX-I/O WIDEBODY BOWRIDER***	12 VST	13 VST	14 VST	15 VST	17 VST	19 VST	21 VST WIDEBODY BOWRIDER*	24 VST WIDEBODY BOWRIDER*	28 VST**
13'	14'	15'	17'	19'	19'	12'	13'	14'	15'	17'	19'	21' 4"	24'	27' 4"
3,96	4,27	4,57	5,18	5,79	5,79	3,66	3,96	4,27	4,57	5,18	5,79	6,50	7,31	8,33
9' 9"	10' 10"	11' 6"	13' 1"	15' 4"	15' 4"	9' 2"	9' 9"	10' 10"	11' 6"	13' 1"	14' 11"	17' 3"	19' 3"	22' 11"
2,97	3,30	3,50	4,00	4,67	4,67	2,79	2,97	3,30	3,50	3,99	4,55	5,25	5,87	6,99
6' 5"	6' 6"	6' 9"	8' 1"	8' 4"	8' 4"	6' 1"	6' 4"	6' 5"	6' 6"	8' 1"	8' 4"	8' 10"	9' 3"	10' 1"
1,95	1,98	2,05	2,46	2,54	2,54	1,86	1,93	1,96	1,99	2,46	2,53	2,70	2,82	3,07
3' 1"	3' 1"	3' 2"	4' 5"	4' 5"	4' 5"	2' 10"	3' 1"	3' 1"	3' 2"	4' 2"	4' 4"	4' 9"	5' 4"	6' 4"
0,94	0,94	0,97	1,35	1,35	1,35	0,86	0,94	0,94	0,97	1,27	1,32	1,44	1,64	1,93
30,05	33,39	36,54	58,13	67,86	67,86	25,83	30,05	33,39	36,54	58,13	64,65	81,38	103,62	145,21
2,79	3,10	3,40	5,40	6,30	6,30	2,40	2,79	3,10	3,40	5,40	6,01	7,56	9,63	13,49
18"	19"	19"	20"	22"	22"	17"	18"	19"	19"	20"	22"	22"	24"	24"
0,46	0,48	0,48	0,51	0,56	0,56	0,43	0,46	0,48	0,48	0,51	0,56	0,56	0,61	0,61
3	5	5	5	5	5	3	3	5	5	5	5	6	6	6
5	6	6	10	12	10	6	7	8	9	12	15	18	20	25
1593	2010	2222	2645	3224	3191	1699	1759	2184	2277	2942	3901	3881	4525	5034
723	912	1008	1200	1463	1448	771	798	991	1033	1335	1770	1764	2053	2284
612	730	766	1250	1639	1551	405	477	510	605	1104	1252	1808	2213	2853
278	332	348	568	745	705	184	217	232	275	502	569	820	1006	1297
40	50	60	90	115	150	40	40	50	60	90	115	150	150	250
29,8	37,3	44,8	67,1	85,8	111,9	29,8	29,8	37,3	44,8	67,1	85,8	111,9	111,9	186,5
60	70	75	115	150	220	50	60	70	75	115	150	225	250	500
44,8	52,2	56,0	85,8	111,9	164,1	37,3	44,8	52,2	56,0	85,8	111,9	167,85	186,5	372,9
20	20	20	20	25	N/A	20	20	20	20	20	25		25	30
50,8	50,8	50,8	50,8	63,5	N/A	50,8	50,8	50,8	50,8	50,8	63,5	63,5	63,5	76,2
255	257	330	484	491	N/A	242	255	257	330	484	491	682	814	1241
116	117	150	220	223	N/A	110	116	117	150	220	223	310	370	564
15	21	27	33	67	67	14	14	14	25	33	44	63	64	189
57	78	102	125	254	254	53	53	53	95	125	167	240	242	715
N/A	9	12	10	20	20	N/A	N/A	N/A	N/A	10	11	12	12	12
N/A	34	45	38	76	76	N/A	N/A	N/A	N/A	38	42	45	45	45
148x50x37	157x59x43	169x59x43	192x54x47	216x54x47	216x54x47	132x49x28	146x51x26	156x49x28	169x59x29	200x74x46	213x75x32	246x84x56	276x87x35	323x113x47
375x127x95	400x150x110	430x150x110	490x137x130	550x137x130	550x137x130	335x125x70	370x130x70	395x125x70	430x150x73	508x188x117	540x190x80	625x214x143	700x220x90	820x288x120
C	C	C	C	C	C	C	C	C	C	C	C	C	B	B



ABJET 350 XP

SPECIFICATIONS



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Mares		
10 VSX	11 VSX	12 VSX

Navigo							
8 VS	9 VS	10 VS	12 VS	13 VS	14 VS		



		10 VSX	11 VSX	12 VSX	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS
LENGTH										
OVERALL	ft/in	10' 6"	11' 4"	12'	8' 6"	9' 6"	10' 6"	12'	13'	14'
	m	3,19	3,45	3,66	2,60	2,90	3,19	3,66	3,96	4,27
INSIDE	ft/in	7' 7"	8' 1"	8' 9"	5' 10"	6' 9"	7' 7"	8' 9"	9' 9"	10' 10"
	m	2,31	2,47	2,67	1,79	2,06	2,31	2,67	2,97	3,30
BEAM										
OVERALL	ft/in	5' 7"	5' 9"	6'	5' 4"	5' 7"	5' 7"	6'	6' 4"	6' 4"
	m	1,72	1,77	1,82	1,64	1,72	1,72	1,82	1,94	1,94
INSIDE	ft/in	2' 8"	2' 8"	2' 9"	2' 4"	2' 8"	2' 8"	2' 9"	3' 1"	3' 1"
	m	0,81	0,81	0,84	0,72	0,81	0,81	0,84	0,94	0,94
AREA										
INTERNAL AREA	sq.ft.	20,14	21,54	24,14	13,87	17,96	20,14	24,14	30,05	33,39
	m2	1,87	2,00	2,24	1,29	1,67	1,87	2,24	2,79	3,10
MAX TUBE DIAMETER										
	ft/in	17"	18"	18"	16"	17"	17"	18"	18"	19"
	m	0,43	0,46	0,46	0,41	0,43	0,43	0,46	0,46	0,48
NUMBER OF CHAMBERS										
		3	3	3	3+1	3+1	3+1	3+1	3+1	4+1
CAPACITY										
PERSONS		4	4	5	4	4	5	6	7	8
PAYLOAD	lbs	1408	1878	1895	1087	1358	1470	1935	1942	2347
	kg	639	851	860	493	616	667	878	881	1065
WEIGHT										
	lbs	287	317	337	125	152	169	202	293	348
	kg	130	144	153	57	69	77	92	133	158
ENGINE										
RECOMMENDED	hp	25	30	30	8	9,9	15	20	30	40
	kW	18,7	22,4	22,4	6,0	7,4	11,2	14,9	22,4	29,8
MAX	hp	30	40	40	10	15	25	30	40	50
	kW	22,4	29,8	29,8	7,5	11,2	18,7	22,4	29,8	37,3
SHAFT LENGTH	in	15 - 20	20	20	15	15	15	15 - 20	20	20
	cm	38,1 - 50,8	50,8	50,8	38,1	38,1	38,1	38,1 - 50,8	50,8	50,8
MAX WEIGHT	lbs	176	200	200	106	121	176	183	242	253
	kg	80	100	100	48	55	80	83	110	115
BUILT-IN TANKS										
GAS	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS										
(LENGTH x WIDTH x HEIGHT)	inch	118x43x18	125x44x33	136x45x18	92x43x18	106x43x18	118x43x18	136x45x18	144x49x26	156x49x28
	cm	300x110x45	317x111x85	345x115x45	235x110x45	270x110x45	300x110x45	345x115x45	365x125x65	395x125x70
RDC DESIGN CATEGORY										
		C	C	C	C	C	C	C	C	C

THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY.



11 VSX



14 VS

Ventus



Alumina



15 VS	17 VS	19 VS	8 VL	9 VL	10 VL	12 VL	9.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX
15'	17'	19'	8' 6"	9' 6"	10' 6"	12'	9' 6"	10' 6"	11' 6"	12'	13'	14'
4,57	5,18	5,79	2,60	2,90	3,19	3,66	2,90	3,19	3,50	3,66	3,96	4,27
11' 6"	13' 1"	15' 2"	5' 10"	6' 9"	7' 7"	8' 9"	6' 11"	7' 6"	8' 6"	8' 10"	9' 10"	10' 10"
3,50	4,00	4,62	1,79	2,06	2,31	2,67	2,11	2,30	2,60	2,70	3,00	3,30
6' 6"	8' 1"	8' 4"	5' 6"	5' 7"	5' 7"	5' 10"	5' 6"	5' 6"	5' 7"	6' 1"	6' 7"	6' 7"
1,99	2,46	2,53	1,68	1,72	1,72	1,77	1,68	1,68	1,70	1,85	2,00	2,00
3' 2"	4' 4"	4' 1"	2' 4"	2' 8"	2' 8"	2' 9"	2' 6"	2' 8"	2' 8"	2' 11"	3' 3"	3' 3"
0,97	1,33	1,25	0,72	0,81	0,81	0,84	0,76	0,81	0,81	0,89	0,99	0,99
36,54	57,26	62,16	13,87	17,96	20,14	24,14	17,26	20,05	22,67	25,87	31,97	35,17
3,40	5,32	5,78	1,29	1,67	1,87	2,24	1,60	1,86	2,11	2,40	2,97	3,27
19"	20"	22"	16"	17"	17"	18"	17"	17"	17"	18"	18"	19"
0,48	0,50	0,56	0,41	0,43	0,43	0,46	0,43	0,43	0,43	0,46	0,46	0,48
5	5	5	3+1	3+1	3+1	3+1	3	3	3	3	3	4
11	15	15	4	4	5	6	5	5	5	6	7	8
2557	2964	3998	1115	1393	1514	1975	1333	1441	1576	1920	1997	2268
1160	1345	1814	506	632	687	896	637	654	715	871	906	1029
484 *	772 *	1157	95	106	123	156	236	255	284	315	386	408
220 *	350*	526	43	48	56	71	107	116	129	143	175	185
60	75	115	8	9,9	15	20	15	15	20	25	30	40
44,8	56,0	85,8	6,0	7,4	11,2	14,9	11,2	11,2	14,9	18,7	22,4	29,8
75	90	150	10	15	25	30	25	25	30	30	40	50
56,0	67,0	111,9	7,5	11,2	18,7	22,4	18,7	18,7	22,4	22,4	29,8	37,3
20	20	25	15	15	15	15	20	20	20	20	20	20
50,8	50,8	63,5	38,1	38,1	38,1	38,1	50,8	50,8	50,8	50,8	50,8	50,8
330	365	515	106	121	176	183	143	132	132	183	183	242
150	166	234	48	55	80	83	65	60	60	83	83	110
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
169x59x43	192x54x47	156x49x28	93x43x18	106x43x18	118x43x18	136x45x18	105x44x19	119x44x19	132x44x19	138x46x26	144x47x32	159x47x32
430x150x110	490x137x130	395x125x70	235x110x45	270x110x45	300x110x45	345x115x45	266x113x47	302x113x47	334x113x47	350x116x65	365x120x82	405x120x82
C	C	C	C	C	C	C	C	C	C	C	C	C



9.5 ALX

SPECIFICATIONS



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

		Alumina			Lamina AL						
		15 ALX	16 ALX	18 ALX	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL
LENGTH											
OVERALL	ft/in	15'	16'	18'	8' 5"	9' 1"	9' 6"	10' 6"	11' 6"	12'	13'
	m	4,57	4,88	5,49	2,56	2,76	2,90	3,19	3,50	3,66	3,96
INSIDE	ft/in	11' 8"	13' 2"	14' 8"	5' 10"	6' 3"	6' 11"	7' 6"	8' 6"	8' 10"	9' 10"
	m	3,55	3,85	4,47	1,79	1,90	2,11	2,30	2,60	2,70	3,00
BEAM											
OVERALL	ft/in	6' 9"	7'	7' 10"	4' 9"	4' 9"	5' 6"	5' 6"	5' 7"	6' 1"	6' 7"
	m	2,06	2,14	2,40	1,45	1,45	1,68	1,68	1,70	1,85	2,00
INSIDE	ft/in	3' 4"	3' 6"	4' 3"	2'	2' 2"	2' 6"	2' 8"	2' 8"	2' 11"	3' 3"
	m	1,03	1,08	1,30	0,62	0,66	0,76	0,81	0,81	0,89	0,99
AREA											
INTERNAL AREA	sq.ft.	39,36	44,76	62,53	11,95	13,50	17,26	20,05	22,67	25,87	31,97
	m2	3,66	4,16	5,81	1,11	1,25	1,60	1,86	2,11	2,40	2,97
MAX TUBE DIAMETER											
	ft/in	19"	20"	21"	16"	16"	17"	17"	17"	18"	18"
	m	0,48	0,51	0,53	0,41	0,41	0,43	0,43	0,43	0,46	0,46
NUMBER OF CHAMBERS											
		5	5	5	3	3	3	3	3	3	3
CAPACITY											
PERSONS		9	10	12	4	4	5	5	6	6	7
PAYLOAD	lbs	2557	2599	3053	1042	1089	1404	1519	1644	2032	2092
	kg	1160	1179	1385	473	494	637	689	746	922	949
WEIGHT											
	lbs	481	534	895	84	88	109	131	172	198	220
	kg	218	242	406	38	40	49	59	78	90	100
BOAT W/ OPTIONAL BOW LOCKER	lbs				97	103	125	144	187	213	235
	kg				44	47	57	65	85	97	107
ENGINE											
RECOMMENDED	hp	50	50	90	4	8	8	10	20	25	30
	kW	37,3	37,3	67,1	3,0	6,0	6,0	7,5	14,9	18,7	22,4
MAX	hp	60	70	115	6	10	15	20	30	30	40
	kW	44,8	52,2	85,8	4,5	7,5	11,2	14,9	22,4	22,4	29,8
SHAFT LENGTH	in	20	20	25	15	15	15	15	20	20	20
	cm	50,8	50,8	63,5	38,1	38,1	38,1	38,1	50,8	50,8	50,8
MAX WEIGHT	lbs	242	253	484	62	106	121	132	132	183	183
	kg	110	115	220	28	48	55	60	60	83	83
BUILT-IN TANKS											
GAS	gal/lt	N/A	N/A	32/120	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER	gal/lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS											
(LENGTH x WIDTH x HEIGHT)	inch	167x47x32	182x55x32	214x71x38	91x44x19	96x44x19	105x44x19	119x44x19	132x44x19	138x46x26	144x47x32
	cm	425x120x82	463x140x82	544x180x97	231x113x47	245x113x47	266x113x47	302x113x47	334x113x47	350x116x65	365x120x82
RDC DESIGN CATEGORY											
		C	C	C	C	C	C	C	C	C	C





12 AL | SUPERLIGHT



8 UL

THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY.





14 AL	15 AL	16 AL	7.5 UL	8 UL	9 UL	10 UL	
14'	15'	16'	7' 10"	8' 5"	9' 1"	10'	10' 6"
4,27	4,57	4,88	2,39	2,56	2,76	3,05	3,20
10' 10"	11' 8"	13' 2"	5'5"	5' 10"	6' 3"	7' 2"	7' 9"
3,30	3,55	4,00	1,65	1,79	1,90	2,18	2,37
6' 7"	6' 9"	7'	4'11"	4' 11"	4' 11"	5' 6"	5' 9"
2,00	2,06	2,14	1,50	1,50	1,50	1,68	1,76
3'3"	3' 4"	3' 6"	2'2"	2' 2"	2' 3"	2' 8"	2' 10"
0,99	1,03	1,08	0,66	0,66	0,70	0,81	0,86
35,17	39,36	46,50	11,72	12,72	14,32	19,01	21,94
3,27	3,66	4,32	1,09	1,18	1,33	1,77	2,04
19"	19"	20"	16"	16"	16"	17"	17"
0,48	0,48	0,51	0,41	0,41	0,41	0,43	0,43
4	5	5	2	2	2	3	3
8	9	10	3	4	4	5	4
2391	2607	2709	815	882	1036	1300	1344
1085	1183	1229	370	400	470	590	610
246	339	370	72	77	84	94	273
112	154	168	33	35	38	43	124
274	357	401	N/A	N/A	N/A	N/A	N/A
124	162	182	N/A	N/A	N/A	N/A	N/A
40	50	50	3	4	8	9,9	25
29,8	37,3	37,3	2,2	3,0	6,0	7,4	18,7
50	60	70	4	5	10	15	30
37,3	44,8	52,2	2,9	3,8	7,5	11,2	22,4
20	20	20	15	15	15	15	20
50,8	50,8	50,8	38,1	38,1	38,1	38,1	50,8
242	242	253	62	62	121	121	183
110	110	115	28	28	55	55	83
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
159x47x32	167x47x32	182x55x32	86x41x18	91x44x19	96x44x19	119x44x19	125x43x37
405x120x82	425x120x82	463x140x82	218x104x46	231x113x47	245x113x47	302x113x47	315x110x94
C	C	C	C	C	C	C	C



PERSONS & LOAD CAPACITIES WILL VARY WHEN BOAT IS RIGGED WITH NON STANDARD ACCESSORIES. THE MAXIMUM PAYLOAD & PERSON CAPACITY HAS BEEN CALCULATED ACCORDING TO ISO & ABYC STANDARDS. OPERATING AT OR NEAR MAXIMUM CAPACITIES IS ONLY ADVISED IN CALM WATER AND AT REDUCED SPEEDS. ALL DIMENSIONS IN ACCORDANCE WITH ISO 6185 AND ISO 8666. APPROXIMATE WEIGHT HAS A TOLERANCE OF +/- 5% AND INCLUDES ALL STANDARD ACCESSORIES EXCEPT ON MODELS VS,VL & AL WHICH IS FOR BARE BOAT ONLY. ADD APPROXIMATELY 45LBS TO CONSOLE BOATS FOR ACCESSORIES LIKE: BATTERY, FUEL/WATER FILTER, BILGE PUMP, STEERING SYSTEM & FIRE EXTINGUISHER. ALL DIMENSIONS ARE + OR -3%. SOME MODELS SHOWN MAY FEATURE NON-STANDARD EQUIPMENT. SEE STANDARD AND OPTIONAL EQUIPMENT LISTINGS FOR FULL DETAILS.

THE PHOTOGRAPHS IN THIS BROCHURE WERE TAKEN UNDER CONTROLLED CONDITIONS, USING PROFESSIONAL OPERATORS. YOU SHOULD NEVER ATTEMPT ANY SPEEDS OR MANEUVERS WHICH ARE BEYOND YOUR CAPABILITIES, NOR WHICH ARE POTENTIALLY HAZARDOUS. WE STRONGLY SUGGEST USING RECOMMENDED HP'S ON THE BOAT. YOU SHOULD CONSULT YOUR LOCAL DEALER REGARDING SAFETY AND WEIGHT ISSUES BEFORE PUTTING MAXIMUM HP'S ON YOUR BOAT. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE, ALTHOUGH ALL DETAILS SHOWN ARE ACCURATE AT THE TIME OF GOING TO PRESS. FOLLOWING A PROGRAM OF CONTINUOUS IMPROVEMENT, AB RESERVES THE RIGHT TO DELETE OR MODIFY ANY OF THE PRODUCTS IN THIS BROCHURE WITHOUT NOTICE.



FEATURES

- STANDARD FEATURES ●
 OPTIONAL FEATURES ○



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Nautilus



	11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX WIDEBOY BOWRIDER	19 DLX WIDEBOY BOWRIDER	19 DLX-I/O WIDEBOY BOWRIDER***	12 VST
CUP HOLDERS	●	●	●	●	●	●			
STANDARD IN HOUSE ELECTRICAL RIGGING	●	●	●	●	●	●	●	●	●
BENCH SEAT WITH STORAGE									
USB PORT	●	●	●	●	●	●	●	●	
BOW EYE	●	●	●	●	●	●	●	●	●
BOW HATCH CUSHION	●	●	●	●	●	●	●	●	●
BOW RAILS-STAINLESS STEEL	●	●	●	●	●	●	●	●	
BOW SEAT WITH STORAGE	●	●	●	●	●	●	●	●	●
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK									
BOW SEATING W/UPHOLSTERED BACK SUPPORT	●	●	●	●	●	●	●	●	
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT	●	●	●	●	●	●	●	●	
BOW STEP W/ CUSHION & SS FOLD DOWN CLEAT									●
BOWRIDER SEATING STYLE						●	●	●	
12V DC SOCKET	●	●	●	●	●	●	●	●	
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	2	2	2	2	2	2	2	2	2
SLIM LOW CONSOLE-W/SS GRAB HANDLE & W.SHIELD									
CONSOLE WITH SS GRAB RAIL & WINDSHIELD	●	●	●	●	●	●	●	●	
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL									
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT									●
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL									
COOLER / STORAGE WITH DRAIN (BUILT-IN)		●	●	●	●	●	●	●	
DAVIT LIFTING RINGS	3	3	3	3	3	3	3	3	4
FRESH WATER TANK W/ SHOWER SYSTEM				●	●	●	●	●	
FUEL TANK (UNDERDECK)- ALUMINUM	●	●	●	●	●	●	●	●	●
GRAB HANDLES ON TUBES-STAINLESS STEEL									●
HAND PUMP/ REPAIR KIT	●	●	●	●	●	●	●	●	●
HELM SEAT-STAINLESS STEEL									
JOCKEY CONSOLE (2 PERSON)									
LEANING BOLSTER							●		
COURTESY LIGHTS	●	●	●	●	●	●	●	●	
LED NAVIGATION AND LED ANCHOR LIGHTS				●	●	●	●	●	●
ANCHOR LIGHTS, LED NAVIGATION LIGHTS	●	●	●						
SEADEK® EVA FOAM NON SKID FLOOR									
SEADEK® FOAM TEAK									
SYNTHETIC TEAK	○	○	○	○	○	○	○	○	○
NON SKID DECK-DIAMOND SHAPE	●	●	●	●	●	●	●	●	●
GAS SPRINGS	●	●	●	●	●	●	●	●	●
OARS & OARLOCKS									
PADDLES									
SEAT (REMOVABLE)									
SUNBATHING BED					○	●	●	●	
TIE DOWN EYES	●	●	●	●	●	●	●	●	
TOWING RINGS - BOW									
TOWING RINGS - STERN	2	2	2	2	2	2	2	2	2
TRANSOM LADDER			○	○	○	●			
T-TOP									
TUBE CHAPS									
HYDRAULIC STEERING SYSTEM	○	○	○	●	●	●	●	●	○
MECHANICAL STEERING SYSTEM	●	●	●						●
HEIGHT ADJUSTABLE STEERING WHEEL	●	●	●	○	○	●	●	●	
FULLY UPHOLSTERED SEATING-SPRADLING	●	●	●	●	●	●	●	●	●

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS, PLEASE VISIT OUR WEB SITE.

abinflatables.com



12 DLX



17 DLX

Oceanus

Mares

Navigo



13 VST	14 VST	15 VST	17 VST	19 VST	21 VST WIDEBODY BOWRIDER*	24 VST WIDEBODY BOWRIDER*	28 VST**	10 VSX	11 VSX	12 VSX	8 VS	9 VS	10 VS
			○	●	●	●		●	●	●			
●	●	●	●	●	●	●	●	●	●	●		○	○
			●	●	●	●	●					○	○
●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	○	○	○
●	●	●	●	●	●	●	●		○		●	●	●
									○		○	○	○
●	●	●	●	●	●	●	●						
			○	●	●	●	○						
			●	●	●	●	●						
2	2	2	2	2	2	2	2	○	○	○	○	○	○
												○	○
●	●	●	●	●	●	●	●						○
○	○	○	○		●	●							○
4	4	4	4	4	○	○	○	4	4	4	4	4	4
●	●	●	●	●	●	●	●						
●	●	●	○	●	●	●	●						
●	●	●	●	●	●	●	●	●	●	●	●	●	●
				●	●	●	●						○
●	●	●	○	●	●	●	●	●	●	●		○	○
				●	●	●	●						
○	○	○	○	○	○	○	○	○	○	○			
●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●			
											●	●	●
			○		○						●	●	●
								●	●	●	●	●	●
2	2	2	2	2	2	2	2	2	2	2	2	2	2
			●	●	●	●	●						
				○	○	○	○						
○	○	○	●	●	●	●	●	○	○	○			
●	●	●						●	●	●		○	○
			○	○	○	○	●						
●	●	●	●	●	●	●	●	●	●	●		○	○



17 VST



21 VST



11 VSX

FEATURES

- STANDARD FEATURES ●
 OPTIONAL FEATURES ○




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Navigo



Ventus



Alumina



	12 VS	13 VS	14 VS	15 VS	17 VS	19 VS	8 VL	9 VL	10 VL	12 VL	9.5 ALX	10 ALX
CUP HOLDERS												
STANDARD IN HOUSE ELECTRICAL RIGGING	○	○	○	○	○	○					●	●
BENCH SEAT WITH STORAGE	○	○	○	○	○	○					●	●
USB PORT												
BOW EYE	●	●	●	●	●	●	●	●	●	●	●	●
BOW HATCH CUSHION	○	○	○	○	○	○					●	●
BOW RAILS-STAINLESS STEEL												
BOW SEAT WITH STORAGE	●	●	●	●	●	●						
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK	○	○	○								●	●
BOW SEATING W/UPHOLSTERED BACK SUPPORT												
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT	○	○	○	○	○	○	○	○	○	○		
BOW STEP W/ CUSHION & SS FOLD DOWN CLEAT											●	●
BOWRIDER SEATING STYLE												
12V DC SOCKET												
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	○	○	○	○	○	○	○	○	○	○	○	○
SLIM LOW CONSOLE-W/SS GRAB HANDLE & W.SHIELD	○	○	○								●	●
CONSOLE WITH SS GRAB RAIL & WINDSHIELD												
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL	○	○	○	○	○	○						
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT	○	○	○	○	○	○						
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL		○	○	○	○	○						
COOLER / STORAGE WITH DRAIN (BUILT-IN)												
DAVIT LIFTING RINGS	4	4	4	4	4	4	3	3	3	3	4	4
FRESH WATER TANK W/ SHOWER SYSTEM												
FUEL TANK (UNDERDECK)- ALUMINUM				○	○	○						
GRAB HANDLES ON TUBES-STAINLESS STEEL												
HAND PUMP/ REPAIR KIT	●	●	●	●	●	●	●	●	●	●	●	●
HELM SEAT-STAINLESS STEEL	○	○	○	○	○	○						
JOCKEY CONSOLE (2 PERSON)	○	○	○	○	○	○						
LEANING BOLSTER				○	○	○						
COURTESY LIGHTS												
LED NAVIGATION AND LED ANCHOR LIGHTS	○	○	○	○	○	○						
ANCHOR LIGHTS, LED NAVIGATION LIGHTS											●	●
SEADEK® EVA FOAM NON SKID FLOOR							●	●	●	●		
SEADEK® FOAM TEAK											●	●
SYNTHETIC TEAK												
NON SKID DECK-DIAMOND SHAPE	●	●	●	●	●	●						
GAS SPRINGS											●	●
OARS & OARLOCKS							●	●	●			
PADDLES	●	●	●	●	●	●				●		
SEAT (REMOVABLE)	●						●	●	●	●		
SUNBATHING BED												
TIE DOWN EYES												
TOWING RINGS - BOW							●	●	●		●	●
TOWING RINGS - STERN	2	2	2	2	2	2					2	2
TRANSOM LADDER												
T-TOP						○						
TUBE CHAPS	○	○	○				○	○	○	○		
HYDRAULIC STEERING SYSTEM				○	○	○					○	○
MECHANICAL STEERING SYSTEM	○	○	○	○	○	○					●	●
HEIGHT ADJUSTABLE STEERING WHEEL												
FULLY UPHOLSTERED SEATING-SPRADLING	○	○	○	○	○	○					●	●

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS, PLEASE VISIT OUR WEB SITE.

abinflatables.com



Lamina AL



11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL	
						○											
●	●	●	●	●	●	●				○	○	○	○	○	○	○	○
●	●	●	●	●	●	●				○	○	○	○	○	○	○	○
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●											
						●	○	○	○	○	○	○	○	○	○	○	○
●	●	●	●	●	●		○	○	○	○	○	○	○	○	○	○	○
						○			○	○	○	○	○	○	○	○	○
									○	○	○	○	○	○	○	○	○
2	2	2	2	2	2	2	○	○	○	○	○	○	○	○	○	○	○
										○	○	○	○	○	○	○	○
●	●	●	●	●	●	●					○	○	○	○	○	○	○
		○	○	○	○	○					○	○	○	○	○	○	○
4	4	4	4	4	4	4	3	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4
						●											
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
○	○	○	○	○	○	○				○	○	○	○	○	○	○	○
						○											
		●	●	●	●	●							○	○	○	○	○
●	●						●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	○	○	○	○	○	○	○	○	○	○	○
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
							●	●	●	●	●	●	●	●	●	●	●
2	2	2	2	2	2	2			2	2	2	2	2	2	2	2	2
○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○
●	●	●	●	●	●					○	○	○	○	○	○	○	○
						○											
●	●	●	●	●	●	●				○	○	○	○	○	○	○	○



FEATURES

- STANDARD FEATURES ●
 OPTIONAL FEATURES ○



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Lamina UL

AB Rider

ABJET®



	7.5 UL	8 UL	9 UL	10 UL			ABJET 290 S	ABJET 330 S
CUP HOLDERS							●	●
STANDARD IN HOUSE ELECTRICAL RIGGING					●		●	●
BENCH SEAT WITH STORAGE							●	●
USB PORT								
BOW EYE	●	●	●	●	●			
BOW HATCH CUSHION							●	●
BOW RAILS-STAINLESS STEEL							●	●
BOW SEAT WITH STORAGE								
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK								
BOW SEATING W/UPHOLSTERED BACK SUPPORT								●
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT				○				
BOW STEP W/ CUSHION & SS FOLD DOWN CLEAT								
BOWRIDER SEATING STYLE							●	●
12V DC SOCKET								
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)							●	●
SLIM LOW CONSOLE-W/SS GRAB HANDLE & W.SHIELD							●	●
CONSOLE WITH SS GRAB RAIL & WINDSHIELD								○
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL							○	
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT							●	●
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL							3	4
COOLER / STORAGE WITH DRAIN (BUILT-IN)							●	●
DAVIT LIFTING RINGS	3	3	3	3	4		●	●
FRESH WATER TANK W/ SHOWER SYSTEM							●	●
FUEL TANK (UNDERDECK)- ALUMINUM							●	●
GRAB HANDLES ON TUBES-STAINLESS STEEL							●	●
HAND PUMP/ REPAIR KIT	●	●	●	●	●			
HELM SEAT-STAINLESS STEEL								
JOCKEY CONSOLE (2 PERSON)							●	●
LEANING BOLSTER							●	●
COURTESY LIGHTS							●	●
LED NAVIGATION AND LED ANCHOR LIGHTS								
ANCHOR LIGHTS, LED NAVIGATION LIGHTS							●	●
SEADEK® EVA FOAM NON SKID FLOOR	●	●	●	●				●
SEADEK® FOAM TEAK							●	●
SYNTHETIC TEAK							●	●
NON SKID DECK-DIAMOND SHAPE					●		●	●
GAS SPRINGS							●	●
OARS & OARLOCKS	●	●	●	●			●	●
PADDLES							●	●
SEAT (REMOVABLE)	●	●	●	●			●	●
SUNBATHING BED								
TIE DOWN EYES							●	●
TOWING RINGS-BOW								
TOWING RINGS-STERN					2		●	●
TRANSOM LADDER							●	●
T-TOP							●	●
TUBE CHAPS	○	○	○	○			●	●
HYDRAULIC STEERING SYSTEM							●	●
MECHANICAL STEERING SYSTEM					●			
HEIGHT ADJUSTABLE STEERING WHEEL							●	●
FULLY UPHOLSTERED SEATING-SPRADLING	○	○	○	○	○		●	●
							INTEGRATED MARINE GRADE ALUMINUM FUEL TANK	
							DIAMOND NON-SKID DECK	
							REAR SEAT WITH AMPLE STORAGE	
							DUAL PILOT SEAT	
							DUAL REAR SEAT (UP TO 4 PEOPLE)	
							FULLY UPHOLSTERED SEATING-SPRADLING®	
							CONSOLE WITH FORWARD SEAT	
							CONSOLE WITH FORWARD SEAT & STORAGE	
							ANODIZED ALUMINUM RETRACTABLE ARMRESTS	
							INTEGRATED BOW LOCKER	
							REMOVABLE LATERAL SEAT	
							EASY PORT & STARBOARD ACCESS	
							STAINLESS STEEL PORT / STARBOARD HAND RAILS	
							INTEGRATED STAINLESS STEEL STERN RAILS	
							AMPLE ENGINE ACCESS	
							STAINLESS STEEL BOW EYE	
							FIBERGLASS BOW STEP W/CUSHION & SS FOLDABLE CLEAT	
							FIBERGLASS BOW STEP & SS FOLDABLE CLEAT	
							2 STERN STAINLESS STEEL FOLDABLE CLEATS	
							STAINLESS STEEL DAVIT LIFTING POINTS	
							STAINLESS STEEL SKI-EYE & STERN HAND RAIL	
							SS REMOVABLE SKI-POLE & STERN HAND RAIL	
							BATTERY BOX	
							RECESSED CUP HOLDERS	
							WATER TIGHT ENGINE COMPARTMENT SEAL	
							BOARDING POLE & SOCKETS (PORT AND STARBOARD)	
							BUILT-IN COOLER / STORAGE WITH DRAIN	
							ORCA® (CSM) FABRIC	
							NON-CORROSIVE PUSH-PUSH INFLATION VALVES	
							SINGLE SOLID RUB RAIL	
							DOUBLE SOLID RUB RAIL	
							REINFORCED EXTERNAL SEAMS	
							ORCA® (CSM) FABRIC HANDLE ON TUBES	
							SELF BAILING DECK SYSTEM WITH NON-RETURN VALVES	
							STAINLESS STEEL DRAIN PLUGS	
							AUTOMATIC FIRE EXTINGUER	
							SAFETY LANYARD SWITCH	
							AUTOMATIC 500 BILGE PUMP	
							AUTOMATIC 750 BILGE PUMP	
							REMOVABLE POLE LED NAVIGATION LIGHT	
							STAINLESS STEEL LED NAVIGATION LIGHT	
							REMOVABLE POLE LED ANCHOR LIGHT	
							POWER REDUCTION KEY	
							BATTERY SWITCH	
							MAINTENANCE-FREE BATTERY	
							ENGINE COMPARTMENT IN-LINE BLOWER	
							SPORT STEERING WHEEL	
							MECHANIC STEERING SYSTEM	
							HYDRAULIC STEERING SYSTEM	
							STYLISH ADJUSTABLE STEERING WHEEL	
							COMPLETE TIN WIRING & (HEAD) HEAT SHRINK SEAL TERMINALS	

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS, PLEASE VISIT OUR WEB SITE.

abinflatables.com



